

Product data sheet

Specifications

SQUARE D



Generator panel, QO, 1 phase, 18 spaces, 36 circuits, 60A main breaker, NEMA1, cover with door

QOGP3P6036P

Discontinued

Main

Marketing Trade Name QO

Product Type Panel

Complementary

Load Center Type Main Breaker

Rated Current 60 A

Number of Spaces 18

Max Short Circuit Current Rating 10 kA

Maximum Number of Single Pole Circuits 36

Maximum Number of Tandem Breakers 18

Number of Phases 1 phase 3 wires

Voltage Rating 120/240 V AC

Wire Size AWG 8...AWG 2 aluminum/copper

Ground Bar Grounding bar (ordered separately)

Electrical Connection Lugs

Box Number 6

Height 17.9 in (455 mm)

Width 14.3 in (362 mm)

Depth 3.7 in (95 mm)

Environment

Enclosure Rating NEMA 1 indoor enclosure

Ambient Air Temperature for Operation 23 °F (-5 °C)
104 °F (40 °C)

Product Certifications UL listed
CSA

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1

Package 1 Height 5.50 in (13.97 cm)

Package 1 Width 16.00 in (40.64 cm)

s
for specific user a
of
a
rmining suitability
d
and is not to be used fo
d
sttu
fo
as a
nd
is not
m
d
aim

Package 1 Length	20.400 in (51.816 cm)
-------------------------	-----------------------

Package 1 Weight	20.580 lb(US) (9.335 kg)
-------------------------	--------------------------

Contractual warranty

Warranty (in months)	18
-----------------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Compliant

Use Again

Repack and remanufacture

[Circularity Profile](#)

No need of specific recycling operations