



**Dependable, high-performance solutions brought to you by Legrand.**

TM870, TM873, TM874

Now part of the radiant® collection, our paddle switches offer a better fit, form and finish. The smooth paddle action combines with subtle aesthetic improvements to deliver reliable performance. ON-OFF switches conform to NEMA 430-104 requirements for kitchen disposal units. Ideal for residential, multi-dwelling, commercial office and hospitality applications.

## Features & Benefits

**Easy-access green hex head ground screw.**

**External screw-pressure-plate back and side wired.** Accepts #12 and #14 AWG.

**Extra-long, through-body strap** eliminates floating installations and imperfect applications.

**High-impact resistant thermoplastic construction.**



**TM870LA**

- Part of the radiant® collection.
- Smooth paddle action.
- Push wire #14 AWG.
- Narrow back body leaves more room for wires in the box.

- Tri-drive ground, terminal and mounting screws.
- ON-OFF switches conform to NEC 430-104 requirements for kitchen disposal units.
- NAFTA-Compliant Switches are ideal for use on projects subject to the provisions of the Buy American Act.

## Compliance



cULus Listed, UL20, Conform to NEMA WD-1 and WD-6 UL Listed, File Number E140596, Standard UL20. cULus listed. Standard CSA C22.2 No. 111. Conform to NEMA WD-1 and WD-6.

## Technical Information

### Performance

#### Electrical

|                              |        |
|------------------------------|--------|
| Maximum Working Voltage      | 277VAC |
| Maximum Current Interrupting | 15A    |
| Maximum Temperature Rise     | 30°C   |

#### Mechanical


|                         |  |
|-------------------------|--|
| Terminal Identification | Terminal identification in accordance with UL20  |
| Terminal Accommodation  | Back and side wire terminals accommodate #12 and #14 AWG stranded and copper wire<br>Push wire terminals accommodate #14 AWG |
| Product Identification  | Ratings are a permanent part of the device   |

#### Environmental

|              |                     |
|--------------|---------------------|
| Flammability | UL20 minimum rating |
|--------------|---------------------|

### Materials

|                           |  |
|---------------------------|--|
| Face                      | Thermoplastic  |
| Back Body                 | Thermoplastic  |
| Line Contacts             | .031 Brass   |
| Mounting Strap            | .042 Zinc-Plated Steel                                   |
| Tamper-Resistant Shutters | Thermoplastic  |
| Terminal Screws           | #8 Tri-Drive Steel (Neutral = Nickel-Plated Steel)       |
| Ground Screw              | #8 Hex Tri-Drive Steel; Zinc Coating with Green Chromate |
| Mounting Screws           | Steel plated   |





**TM873 LA**

## Warranty

1 Year

## Ordering Information

### Single Pole Switches Grounding

| Catalog Number | Rating |         | Color        | 3rd Party Compliance   |   |
|----------------|--------|---------|--------------|--|---|
|                | A      | VAC     |              |  UL20 |  C22.2 111 |
| TM870I         | 15     | 120/277 | Ivory        | •  | •   |
| TM870W         | 15     | 120/277 | White        | •  | •   |
| TM870          | 15     | 120/277 | Brown        | •  | •   |
| TM870GRY       | 15     | 120/277 | Gray         | •  | •   |
| TM870BK        | 15     | 120/277 | Black        | •  | •   |
| TM870LA        | 15     | 120/277 | Light Almond | •  | •   |
| TM870NICC10    | 15     | 120/277 | Nickel       | •  | •   |
| TM870DBCC10    | 15     | 120/277 | Dark Bronze  | •  | •   |

### Three-Way Switches Grounding

|             |    |         |              |   |   |
|-------------|----|---------|--------------|---|---|
| TM873I      | 15 | 120/277 | Ivory        | • | • |
| TM873W      | 15 | 120/277 | White        | • | • |
| TM873       | 15 | 120/277 | Brown        | • | • |
| TM873GRY    | 15 | 120/277 | Gray         | • | • |
| TM873BK     | 15 | 120/277 | Black        | • | • |
| TM873LA     | 15 | 120/277 | Light Almond | • | • |
| TM873NICC10 | 15 | 120/277 | Nickel       | • | • |
| TM873DBCC10 | 15 | 120/277 | Dark Bronze  | • | • |

### Four-Way Switches Grounding

|            |    |         |              |   |   |
|------------|----|---------|--------------|---|---|
| TM874I     | 15 | 120/277 | Ivory        | • | • |
| TM874W     | 15 | 120/277 | White        | • | • |
| TM874      | 15 | 120/277 | Brown        | • | • |
| TM874BK    | 15 | 120/277 | Black        | • | • |
| TM874LA    | 15 | 120/277 | Light Almond | • | • |
| TM874NICC6 | 15 | 120/277 | Nickel       | • | • |
| TM874DBCC6 | 15 | 120/277 | Dark Bronze  | • | • |

---

## Vertical Markets


- Office
- Residential
- Multiple Dwelling
- Hospitality/Lodging

---

## Also available in the radiant® collection

- GFCI Receptacles
- Standard & Tamper-Resistant Receptacles
- Lighting & Fan Controls
- Timers
- Combination Devices
- USB Charging Devices
- Night Lights
- Screwless Wall Plates
- Sensors
- Home Automation Controls

---

 The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act compliant. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



**Legrand, North America**  
60 Woodlawn Street  
West Hartford, CT 06110  
1.877.BY.LEGRAND (295.3472)  
[www.legrand.us](http://www.legrand.us)

570 Applewood Crescent  
Vaughan, Ontario L4K 4B4  
905.738.9195  
[www.legrand.ca](http://www.legrand.ca)

FOLLOW US

