PermaBASE® Building Products



PermaBASE™ Cement Board Screws & Cement Board Tape



PermaBASE[™] Cement Board Screws



PermaBASE™ Cement Board Screws are corrosion-resistant screws specifically designed to be used with PermaBASE® Cement Boards.

ADVANTAGES

- Self-drilling and self-tapping versions available.
- · Used for interior and exterior applications.
- Large diameter, low profile wafer-type head for more secure attachment.
- Durable, corrosion-resistant coating.
- No ribs under head, preventing reinforcing mesh damage.
- Packaged in convenient jars and pails for jobsite durability.
- Available in 1-1/4", 2" and 2-1/2" lengths for optimal framing penetration.

TECHNICAL DATA

Property	Standard	Result
Coating type	N/A	Zinc plated with chemical coating
Recess	N/A	Philips #2
Thread/point (wood)	N/A	#10-16 / Hi-Lo
Thread/point (metal)	N/A	#8-18 / #10-18 / Type S-12
Head Diameter	N/A	0.45" (11.4 mm)
Salt Spray Resistance	ASTM B117 (0% rust)	1.000 hrs

Available Sizes				
Size	Length	Thread/Point	Quantities	
Wood Screws				
#10-16	1-1/4"	Hi-Lo	700/Jar	
#10-16	2"	Hi-Lo	2,000/Pail	
#10-16	2-1/2"	Hi-Lo	2,000/Pail	
Metal Screws				
#8-18	1-1/4"	Drill Point	700/Jar	
#8-18	2"	Drill Point	2,000/Pail	
#10-16	2-1/2"	Drill Point	1.500/Pail	

Estimated Screw Requirements				
Board Size	Application	Screws per Board	Screws per Sq. Ft.	
4'x8'	Wall	52	1.63	
4'x8'	Ceiling	63	2	
3'x5'	Wall	36	2.4	
3'x5'	Floor	60	4	
3 X3	FLOOI	00	4	

PermaBASE[™] Cement Board Tape



PermaBASE™ Cement Board Tape is polymer-coated (alkali-resistant) fiberglass mesh tape used to conceal and reinforce joints between PermaBASE® Cement Board.

Available in 2" wide polymer-coated (alkali-resistant) fiberglass mesh tape for interior applications and 4". wide polymer-coated (alkali-resistant) fiberglass mesh tape for exterior applications.

ADVANTAGES

- Alkali resistant for long-term performance in cement board applications.
- · Fiberglass mesh increases joint strength.
- · Resists mold and mildew.

TECHNICAL DATA

Package	Coverage	
rackage	Sq. Ft. per roll	
2" x 50' (15.2 m) Roll - 24 per carton	130	
2" x 250' (76.2 m) Roll - 24 per carton	665	
4" x 150' (45.7 m) Roll - 12 per carton	400	

Coverage - Approximately 375 ft. per 1,000 sq. ft. of cement board

Applicable Standards and References	
ASTM C1325	
ANSI A118.9	
ANSI A108.11	
PermaBASE Building Products, LLC, NGC Construction Guide	
PermaBASE Building Products, LLC, PermaBASE Construction Guide	

TECHNICAL INFORMATION

Visit **permabase.com** or call National Gypsum Company Construction Services: 1-800-NATIONAL (628-4662).



National Gypsum Company is the exclusive service provider for products offered or manufactured by PermaBASE Building Products, LLC.

PermaBASE™ Cement Board Tape and PermaBASE™ Board Screws are offered by PermaBASE Building Products, LLC to be used with PermaBASE® Cement Boards.



PermaBASE Building Products, LLC 2001 Rexford Road Charlotte, NC 28211

704.365.7300 permabase.com