

FLEX

IT'S
WHAT'S
NEXT





FLEX

FOUNDERS

LIFETIME WARRANTY

NOW THROUGH DECEMBER 31, 2023

Gain exclusive access to the FLEX Founders Limited Lifetime Warranty on all FLEX 24V tools, batteries and chargers when you register within 30 days of purchase through December 31, 2023 at registermyFLEX.com.

BAMIDELE A.
End-to-End Home Renovator

"[FLEX tools] have already proved how well they work...then you put the lifetime warranty on top of that? It's kind of a no-brainer."



5

YEAR
WARRANTY

TOOLS • BATTERIES • CHARGERS

**BEGINNING 2024
END-TO-END 5 YEAR WARRANTY**

Days (1,825), weeks (260.7), or five years of jobs, no matter how you measure it, a FLEX warranty runs longer. Just like our batteries and tools. Register your new products on registermyFLEX.com and get a full 5-year warranty.

TABLE OF CONTENTS

04
POWER

07
DRILLING, DRIVING,
AND FASTENING

24
CUTTING

40
SURFACING

46
SPECIALTY

54
SYSTEM
SUPPORT

70
STORAGE AND
ORGANIZATION


80
COMBO KITS


90
ACCESSORIES





THE FLEX STACKED LITHIUM ADVANTAGE

- **200% MORE POWER**
Outperforms traditional lithium, unleashing power that changes everything
- **300% LONGER BATTERY LIFE**
Battery lifetime lasts four times longer than traditional lithium
- **100% FASTER CHARGING**
Fully charges in as little as 15 minutes
- **100% CROSS-COMPATIBLE**
Operates with all FLEX 24V tools and chargers

**DROP, DUST, AND WATER RESISTANT**
Engineered with a shock-resistant design and sealed electronics


**POWER IQ**
Intelligent power management discharges at a higher output to extend performance


**THERMA-TECH™ + HEAT MANAGEMENT**
Innovative cooling system minimizes heat for 25% longer runtime





THE FLEX ADVANTAGE

- **20% MORE POWER**
Innovative design evenly distributes power to overperform in the most challenging conditions
- **25% LONGER RUNTIME**
State-of-the-art THERMA-TECH™ material prevents overheating and promotes longer runtime
- **50% FASTER CHARGING**
Industry-leading recharge times get you back to work in as little as 30 minutes
- **100% CROSS-COMPATIBLE**
Operates with all FLEX 24V tools and chargers

**POWER IQ**
Intelligent power management discharges at a higher output to extend performance

**THERMA-TECH™ HEAT MANAGEMENT**
State-of-the-art THERMA-TECH™ material prevents overheating and promotes longer runtime

**DROP, DUST, AND WATER RESISTANT**
Engineered with a shock-resistant design and sealed electronics



	24V 10.0Ah STACKED LITHIUM BATTERY	24V 6.0Ah STACKED LITHIUM BATTERY	24V 3.5Ah STACKED LITHIUM BATTERY
	FX0341-1	FX0331-1	FX0321-1
Power	2,520W	1,920W	1,200W
Energy	240Wh	144Wh	84Wh
Battery Weight	3.4 lb, 1.6 kg	2.2 lb, 1 kg	1.5 lb, 0.7 kg

	24V 12.0Ah LITHIUM-ION BATTERY	24V 8.0Ah LITHIUM-ION BATTERY	24V 5.0Ah LITHIUM-ION BATTERY	24V 2.5Ah LITHIUM-ION BATTERY
	FX0231-1	FX0221-1	FX0121-1	FX0221-1
Power	2,160W	1,440W	960W	480W
Energy	288Wh	192Wh	120Wh	60Wh
Battery Weight	4 lb, 1.8 kg	3 lb, 1.4 kg	2.1 lb, 1 kg	1.3 lb, 0.6 kg

FLEX CHARGERS

BATTERY CHARGING TIMES



SMART CHARGE GAUGE

Indicator lights show charging levels for efficient use and easier recharging



TWIN FAN TECHNOLOGY

Two integrated fans keep charger and battery cool to prevent overheating and provide longer life



CHARGE IQ

Built-in intelligent processor optimizes power flow for accelerated charge time

	160W FAST CHARGER	280W RAPID CHARGER	550W SUPER CHARGER	1120W 4-PORT 280W CHARGER
24V 2.5Ah LITHIUM	30 MINUTES	30 MINUTES	27 MINUTES	30 MINUTES
24V 3.5Ah STACKED LITHIUM	35 MINUTES	20 MINUTES	15 MINUTES	20 MINUTES
24V 5.0Ah LITHIUM	60 MINUTES	30 MINUTES	27 MINUTES	30 MINUTES
24V 6.0Ah STACKED LITHIUM	65 MINUTES	35 MINUTES	18 MINUTES	35 MINUTES
24V 8.0Ah LITHIUM	90 MINUTES	50 MINUTES	27 MINUTES	50 MINUTES
24V 10.0Ah STACKED LITHIUM	110 MINUTES	55 MINUTES	30 MINUTES	55 MINUTES
24V 12.0Ah LITHIUM	140 MINUTES	75 MINUTES	35 MINUTES	75 MINUTES

**24V 160W
FAST CHARGER**
FX0411-Z



**24V 280W
RAPID CHARGER**
FX0421-Z



**24V 550W
SUPER CHARGER**
FX0431-Z



**24V 1120W
4-PORT SIMULTANEOUS
RAPID CHARGER**
FX0451-Z



All FLEX chargers are compatible with the FLEX STACK PACK™ STORAGE SYSTEM. 160W, 280W, and 550W chargers require purchase of FLEX ADJUSTABLE CHARGER MOUNT attachment to be compatible with STACK PACK™.

ATTACHMENT

ADJUSTABLE
CHARGER
MOUNT, 2-PACK
FS1606-2



DRILLING, DRIVING & FASTENING





24V BRUSHLESS
DRILL DRIVER

HIGH POWER
750 IN-LBS OF TORQUE

COMPACT SIZE
CONQUER TIGHT SPACES

EXCEPTIONAL RUNTIME
UP TO 80 1" SPADE BIT
HOLES IN 2X4

BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED DRILL DRIVERS

Conquer demanding drilling applications with power, performance, and versatility. This compact FLEX 24V Brushless 1/2" 2-Speed Drill Driver packs 750 in-lbs. of torque with exceptional runtime, so you can power through to what's next. Tough construction makes for ultimate durability, keeping you equipped for the long haul. Built-in LED lighting assists in dark spaces. This drill driver also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1151-Z TOOL ONLY	FX1151-2A
Integrated LED Light	Yes	
No-Load Speed	0-600/0-2,200 RPM	
Max. Torque	750 in-lbs, 85 Nm	
Clutch Settings	22+D	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet	
Tool Length	6.9 in, 174 mm	
Tool Weight (without battery)	3.2 lbs, 1.5 kg	
Includes	<ul style="list-style-type: none">1/2" 2-Speed Drill DriverBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Drill Driver(2) 2.5Ah Lithium-Ion Battery160W Fast ChargerBit HolderBelt ClipFLEX Bag

1/2" Full-Metal Single-Sleeve Keyless Ratcheting Chuck with Carbide Teeth

2-Speed Gear Adjustment

Sensor-Free Brushless Motor

Turbo Button

Integrated LED Light

24V BRUSHLESS
DRILL DRIVER
WITH TURBO MODE

INCREASED SPEED
TURBO MODE

ANTI-KICKBACK
BRAKE TECHNOLOGY

UNRIVALED TORQUE
1,400 IN-LBS

1/2" FULL-METAL
RATCHETING CHUCK

24V BRUSHLESS
1/2" 2-SPEED DRILL DRIVERS WITH TURBO MODE

The FLEX 24V Brushless 1/2" 2-Speed Drill Driver with Turbo Mode dominates drilling applications with industry-leading torque (1,400 in-lbs). Durable tool construction further ensures you're equipped for the long haul. Built-in LED lighting adds visibility in dark spaces. Anti-kickback protection detects tool jams, letting you work confidently. This driver also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1171T-Z TOOL ONLY	FX1171T-2B
Integrated LED Light	Yes	
No-Load Speed	0-550/0-2,000 RPM	
TURBO Speed	0-700/0-2,500 RPM	
Max. Torque	1,400 in-lbs, 158 Nm	
Clutch Settings	22+D	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet with carbide teeth	
Tool Length	7 in, 178 mm	
Tool Weight (without battery)	3.7 lbs, 1.7 kg	
Includes	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo ModeSide HandleBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo Mode2.5Ah Lithium-Ion Battery5.0Ah Lithium-Ion Battery160W Fast ChargerSide HandleBit HolderBelt ClipFLEX Case



24V BRUSHLESS
HAMMER
DRILL DRIVER



HIGH POWER
750 IN-LBS OF TORQUE



COMPACT SIZE
CONQUER TIGHT SPACES



EXCEPTIONAL RUNTIME
UP TO 85 5/16" HOLES
IN CONCRETE



BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED HAMMER DRILL DRIVERS

Conquer demanding drilling applications with power, performance, and versatility. This compact FLEX 24V Brushless 1/2" 2-Speed Hammer Drill packs 750 in-lbs. of torque and extra impact for powering through masonry. Tough construction makes for ultimate durability, keeping you equipped for the long haul. Built-in LED lighting assists in dark spaces. This hammer drill also delivers the FLEX Advantage of unmatched battery power, runtime, and faster charging.



	FX1251-Z TOOL ONLY	FX1251-2A
Integrated LED Light	Yes	
No-Load Speed	0-600/0-2,200 RPM	
Impact Rate	0-9,600/0-35,200 IPM	
Max. Torque	750 in-lbs, 85 Nm	
Clutch Settings	24+D+H	
Chuck Capacity	1/2 in	
Chuck Type	Full-metal single-sleeve keyless ratchet	
Tool Length	7 in, 178 mm	
Tool Weight (without battery)	3.3 lbs, 1.5 kg	
Includes	<ul style="list-style-type: none">1/2" 2-Speed Hammer DrillBit HolderBelt Clip	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill(2) 2.5Ah Lithium-Ion Battery160W Fast ChargerBit HolderBelt ClipFLEX Bag



24V BRUSHLESS
**HAMMER
DRILL DRIVER**
WITH TURBO MODE

INCREASED SPEED
TURBO MODE

UNRIVALED TORQUE
1,400 IN-LBS

ANTI-KICKBACK
BRAKE TECHNOLOGY

BRIGHT
LED LIGHT

24V BRUSHLESS
1/2" 2-SPEED HAMMER DRILL DRIVERS WITH TURBO MODE

The FLEX 24V Brushless 1/2" 2-Speed Hammer Drill with Turbo Mode delivers industry-leading torque (1,400 in-lbs). This unrivaled power is matched with tough construction for ultimate durability. Integrated LED lighting keeps you on the mark. Built-in anti-kickback feature lets you work confidently. This drill's exceptional runtime is backed by the FLEX Advantage of unmatched battery power, runtime, and charging speed, making this turbo hammer drill unstoppable.



	FX1271T-Z TOOL ONLY	FX1271T-2B	STACKED LITHIUM FX1271T-1H
Integrated LED Light	Yes		Yes
No-Load Speed	0-550/0-2,000 RPM		0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM		0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM		0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM		0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs, 158 Nm		1,400 in-lbs, 158 Nm
Clutch Settings	24+D+H		24+D+H
Chuck Capacity	1/2 in		1/2 in
Chuck Type	Full-metal single-sleeve keyless ratchet with carbide teeth		Full-metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in, 182 mm		7.2 in, 182 mm
Tool Weight (without battery)	3.8 lbs, 1.7 kg		3.8 lbs, 1.7 kg
Includes	<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo ModeSide HandleBit HolderBelt Clip		<ul style="list-style-type: none">1/2" 2-Speed Hammer Drill with Turbo Mode2.5Ah Lithium-Ion Battery5.0Ah Lithium-Ion Battery160W Fast ChargerSide HandleBit HolderBelt ClipFLEX Case



Sensor-Free
Brushless Motor

1/4" Hex Collet

Variable-Speed Trigger

Integrated LED Light

24V BRUSHLESS
IMPACT DRIVER



HIGH POWER
1,800 IN-LBS OF TORQUE

EXCEPTIONAL RUNTIME
UP TO 160
3" SCREWS IN 2X4

COMPACT SIZE
CONQUER TIGHT
SPACES

BRIGHT
LED LIGHT

24V BRUSHLESS
1/4" HEX IMPACT DRIVERS

Dominate the toughest fastening applications with the unrivaled power and control of FLEX 24V Brushless 1/4" Hex Impact Driver. This impact delivers 1,800 in-lbs. of unrelenting torque, so you can power through lag bolt after lag bolt. Its compact and lightweight design keeps you ready for what's next. Built-in LED lighting keeps you on the mark. Plus, this driver delivers the FLEX Advantage of unmatched battery power, runtime, and charging speed.



	FX1351-Z TOOL ONLY	FX1351-2A
Integrated LED Light	Yes	
No-Load Speed	0-3,400 RPM	
Impact Rate	0-4,000 IPM	
Max. Torque	1,800 in-lbs, 203 Nm	
Collet	1/4 in Hex	
Tool Length	5.2 in, 131 mm	
Tool Weight (without battery)	2.4 lbs, 1.1 kg	
Includes	<ul style="list-style-type: none">1/4" Hex Impact DriverBit HolderBelt Clip#2 Phillips Bit + T25 Bit	<ul style="list-style-type: none">1/4" Hex Impact Driver(2) 2.5Ah Lithium-Ion Battery160W Fast ChargerBit HolderBelt Clip#2 Phillips Bit + T25 BitFLEX Bag



24V BRUSHLESS
IMPACT DRIVER
WITH QUICK-EJECT



UNRIVALED POWER
2,500 IN-LBS OF TORQUE



MORE CONTROL
3 SPEED MODES



QUICK EJECT
COLLET



SELF-TAPPING
SCREW MODES

24V BRUSHLESS
1/4" QUICK EJECT HEX IMPACT DRIVERS WITH MULTI-MODE

The FLEX 24V Brushless 1/4" Quick Eject Hex Impact Driver with Multi-Mode delivers unrivaled power for the toughest fastening applications. Take control with three speed modes that let you adapt to the application at hand. Work with complete confidence and enhanced capabilities, including self-tapping screw modes that prevent over-tightening and stripping. Switch gears fast with the quick eject collet for easy, one-handed bit changes. Built-in LED lighting keeps you on the mark. All this dependability is built on the FLEX Advantage of unmatched battery power, runtime, and fast-charging speed.



	FX1371A-Z TOOL ONLY	FX1371A-2B	STACKED LITHIUM FX1371A-1H
Integrated LED Light	Yes		Yes
No-Load Speed	0-1,900/2,700/4,000 RPM		0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM		0-4,450 IPM
Max. Torque	2,500 in-lbs, 282 Nm		2,500 in-lbs, 282 Nm
Collet	Quick Eject 1/4" Hex		Quick Eject 1/4" Hex
Tool Length	4.7 in, 119 mm		4.7 in, 119 mm
Tool Weight (without battery)	2.7 lbs, 1.2 kg		2.7 lbs, 1.2 kg
Includes	<ul style="list-style-type: none">1/4" Quick Eject Hex Impact Driver with Multi-ModeBit HolderBelt Clip#2 Phillips Bit + T25 Bit	<ul style="list-style-type: none">1/4" Quick Eject Hex Impact Driver with Multi-Mode2.5Ah Lithium-Ion Battery5.0Ah Lithium-Ion Battery160W Fast ChargerBit HolderBelt Clip#2 Phillips Bit + T25 BitFLEX Case	<ul style="list-style-type: none">1/4" Quick Eject Hex Impact Driver with Multi-Mode6.0Ah Stacked Lithium Battery280W Rapid ChargerBit HolderBelt Clip#2 Phillips Bit + T25 BitFLEX Case



24V BRUSHLESS
IMPACT
WRENCH



NUT-BUSTING
1,150 FT-LBS OF TORQUE

VIBRATION
SUPPRESSION

EFFICIENT
BOLT REMOVAL MODE


MORE CONTROL
3 SPEED MODES

24V BRUSHLESS
1/2" HIGH TORQUE IMPACT WRENCH

When jobs demand nut-busting power, the FLEX 24V Brushless High Torque Impact Wrench delivers 1,150 ft-lbs. of unrelenting torque. Take control with three adaptable speed modes and do it comfortably with vibration suppression. Activate Removal Mode for extra control to extract lug nuts quickly, safely, and efficiently. Built-in LED lighting illuminates your work area. This impact wrench dominates with the FLEX Advantage: unmatched battery power, runtime, and fast-charging speed to keep you going.



	STACKED LITHIUM	
	FX1471-Z TOOL ONLY	FX1471-1H
Integrated LED Light	Yes	Yes
No-Load Speed	0-500/1,000/2,000 RPM	0-500/1,000/2,000 RPM
Impact Rate	0-2,450 IPM	0-2,450 IPM
Fastening Torque	800 ft-lbs, 1,084 Nm	800 ft-lbs, 1,084 Nm
Nut-Busting Torque	1,150 ft-lbs, 1,558 Nm	1,150 ft-lbs, 1,558 Nm
Anvil Size	1/2 in	1/2 in
Tool Length	8.7 in, 222 mm	8.7 in, 222 mm
Tool Weight (without battery)	6.9 lbs, 3.1 kg	6.9 lbs, 3.1 kg
Includes	<ul style="list-style-type: none">1/2" High Torque Impact Wrench	<ul style="list-style-type: none">1/2" High Torque Impact Wrench5.0Ah Lithium-Ion Battery160W Fast ChargerFLEX Case



24V BRUSHLESS
ROTARY
HAMMERS



EXCEPTIONAL
RUNTIME



VIBRATION
SUPPRESSION HANDLE
FX1551-Z ONLY



INTERCHANGEABLE 1/2"
FULL METAL CHUCK
FX1551-Z ONLY



FUNCTION
SWITCH

24V BRUSHLESS
SDS PLUS ROTARY HAMMERS

FLEX 24V Brushless SDS Plus Rotary Hammers are built for performance. Drill confidently with constant speed control, built-in LED lighting and vibration suppression. Adapt to every task with four modes under your command, including drilling, hammer drilling, chiseling, and chisel adjustment. FX1551-Z makes sure you're always ready to adapt to changing job demands using the included 1/2" interchangeable keyless chuck. All this, built with the FLEX Advantage of unmatched FLEX 24V battery power, runtime, and fast charging.

ATTACHMENT

DUST EXTRACTION ATTACHMENT
FT151

Work without dust using the FLEX Dust Extractor for FLEX 24V Rotary Hammers. This attachment connects quickly and securely for reliable dust collection. Replaceable brush rings let you optimize performance for various bit sizes, while the tough, rubber seal maximizes suction to isolate and trap dust particles.

Drilling Diameter: Up to 2-5/8 in
Attachment Weight: 0.7 lbs



1" SDS PLUS ROTARY HAMMER



FX1551A-Z TOOL ONLY

7/8" SDS PLUS ROTARY HAMMER




FX1531-Z TOOL ONLY

FX1531-1C


	FX1531-Z TOOL ONLY	FX1531-1C	FX1551A-Z TOOL ONLY
Integrated LED Light	Yes		Yes
No-Load Speed	0-1,400 RPM		0-980 RPM
Blows/Min	0-4,500 BPM		0-4,350 IPM
Max Drilling Diameter	7/8 in (Concrete); 1/2 in (Steel); 1-1/8 in (Wood)		1 in (Concrete); 1/2 in (Steel); 1-3/16 in (Wood)
Max. Impact Energy	1.3 ft-lbs		1.9 ft-lbs
Tool Weight (without battery)	4.6 lbs		7 lbs
Includes	<ul style="list-style-type: none">7/8" SDS Plus Rotary HammerDepth GuideSide Handle		<ul style="list-style-type: none">1" SDS Plus Rotary HammerDepth GuideSide HandleDetachable 1/2" Full Metal Chuck

CUTTING





24V BRUSHLESS
CIRCULAR
SAWS



24V BRUSHLESS
6-1/2" IN-LINE CIRCULAR SAWS

First of its kind, this in-line saw design provides total balance and improved visibility with a clear view on both sides of every cut. The FLEX 24V Brushless 6-1/2" In-Line Circular Saw rips through 3X in one pass. The built-in LED illuminates the workpiece for superior precision and accuracy. This advanced saw also features the FLEX Advantage: unmatched FLEX 24V battery power, extended runtime, and fast charging.



FX2131A-Z TOOL ONLY

ATTACHMENT

RIP FENCE
FT211

Rip and repeat with total confidence. This FLEX Rip Fence delivers accuracy with its durable steel construction. The Rip Fence easily secures on either side of FLEX 24V Circular Saw for repeatable, precise cuts.

Bar Width: 5/8 in
Bar Thickness: 5/32 in
Attachment Length: 11-13/16 in
Attachment Width: 3-7/8 in
Attachment Weight: 0.5 lbs



FX2131A-1C

	FX2131A-Z TOOL ONLY	FX2131A-1C
Integrated LED Light		Yes
Saw Blade		6-1/2 in
No-Load Speed		5,500 RPM
Bevel Capacity		0-47°
Arbor		5/8 in
Cut Capacity at 90°		2-9/16 in
Cut Capacity at 45°		1-9/16 in
Tool Weight (without battery)		7.1 lbs
Includes	<ul style="list-style-type: none">6-1/2" In-Line Circular Saw6-1/2" 24T FLEX BladeHook CoverBlade Wrench	<ul style="list-style-type: none">6-1/2" In-Line Circular Saw5.0Ah Lithium-Ion Battery160W Fast Charger6-1/2" 24T FLEX BladeHook CoverBlade WrenchFLEX Bag

Lock-Off Button

Hook

Sensor-Free
Brushless Motor

Vacuum Hose
Adapter

Magnesium Footplate
and Guards

Bevel-Preset
Knob

24V BRUSHLESS
CIRCULAR
SAWS

FASTER CUTTING
PERFORMANCE
5,800 RPM

CUTS 3X
IN ONE PASS

LIGHTWEIGHT
MAGNESIUM COMPONENTS

BRIGHT
LED LIGHT

24V BRUSHLESS
7-1/4" CIRCULAR SAWS

Rip through miles of 2x4s with the FLEX 24V Brushless 7-1/4" Circular Saw. This lightweight and durable beast is built for advanced cutting performance and ultimate cutting capacity (up to 2-5/8"). A built-in LED light illuminates workpiece providing superior precision and accurate cuts. This saw's powerful motor is maximized by the FLEX Advantage: unmatched 24V battery power, runtime, and fast charging speed.

ATTACHMENT

RIP FENCE
FT211

Rip and repeat with total confidence. This FLEX Rip Fence delivers accuracy with its durable steel construction. The Rip Fence easily secures on either side of FLEX 24V Circular Saw for repeatable, precise cuts.

Bar Width: 5/8 in
Bar Thickness: 5/32 in
Attachment Length: 11-13/16 in
Attachment Width: 3-7/8 in
Attachment Weight: 0.5 lbs



FX2141-Z TOOL ONLY




FX2141-1D



FX2141-1J

	STACKED LITHIUM	
	FX2141-Z TOOL ONLY	FX2141-1J
Integrated LED Light	Yes	Yes
Saw Blade	7-1/4 in	7-1/4 in
No-Load Speed	5,800 RPM	5,800 RPM
Bevel Capacity	0-56°	0-56°
Arbor	5/8 in	5/8 in
Cut Capacity at 90°	2-5/8 in	2-5/8 in
Cut Capacity at 45°	1-7/8 in	1-7/8 in
Tool Weight (without battery)	9 lbs	9 lbs
Includes	<ul style="list-style-type: none">7-1/4" In-Line Circular Saw7-1/4" 24T FLEX BladeVacuum Adapter & Lower Guard LeverBlade WrenchFLEX Bag	<ul style="list-style-type: none">7-1/4" In-Line Circular Saw8.0Ah Stacked Lithium Battery160W Fast Charger7-1/4" 24T FLEX BladeVacuum Adapter & Lower Guard LeverBlade WrenchFLEX Bag

STACKED LITHIUM	
FX2141-1J	
Yes	
7-1/4 in	
5,800 RPM	
0-56°	
5/8 in	
2-5/8 in	
1-7/8 in	
9 lbs	
<ul style="list-style-type: none">7-1/4" In-Line Circular Saw10.0Ah Stacked Lithium Battery280W Rapid Charger7-1/4" 24T FLEX BladeVacuum Adapter & Lower Guard LeverBlade WrenchFLEX Bag	



24V BRUSHLESS
REAR HANDLE
CIRCULAR SAWS

MOST POWERFUL
CORDLESS REAR
HANDLE SAW

UP TO 2500W OF POWER

EXCEPTIONAL RUNTIME

UP TO 720 CUTS IN 2X4*

*WITH A 10.0Ah STACKED LITHIUM BATTERY

ULTIMATE
PERFORMANCE

6,200 RPM

CUTS 3X

IN ONE PASS

24V BRUSHLESS
7-1/4" REAR HANDLE CIRCULAR SAWS

Rip through miles of 2x4s with the FLEX 24V Brushless 7-1/4" Rear Handle Circular Saw. Both lightweight and durable, this precision cutting tool is a control freak, positioning the blade to the left of the motor and placing the handle at the rear to optimize line of sight. Built for advanced cutting performance and ultimate cutting capacity (up to 2-5/8"). Built-in LED light illuminates workpiece providing superior precision and accurate cuts. This saw's powerful motor is maximized by the FLEX Stacked Lithium Advantage: unmatched 24V battery power, runtime, and fast charging speed.



ATTACHMENT

RIP FENCE


FT211

Rip and repeat with total confidence. This FLEX Rip Fence delivers accuracy with its durable steel construction. The Rip Fence easily secures on either side of FLEX 24V Circular Saw for repeatable, precise cuts.

- Bar Width: 5/8 in
- Bar Thickness: 5/32 in
- Attachment Length: 11-13/16 in
- Attachment Width: 3-7/8 in
- Attachment Weight: 0.5 lbs



FX2141R-Z TOOL ONLY



FX2141R-1J

	STACKED LITHIUM	
	FX2141R-Z TOOL ONLY	FX2141R-1J
Integrated LED Light	Yes	Yes
Saw Blade	7-1/4 in	7-1/4 in
No-Load Speed	6,200 RPM	6,200 RPM
Bevel Capacity	0-56°	0-56°
Arbor	5/8 in	5/8 in
Cut Capacity at 90°	2-5/8 in	2-5/8 in
Cut Capacity at 45°	1-7/8 in	1-7/8 in
Tool Weight (without battery)	10 lbs	10 lbs
Includes	<ul style="list-style-type: none">7-1/4" Rear Handle Circular Saw7-1/4" 24T FLEX BladeBlade WrenchFLEX Bag	
	<ul style="list-style-type: none">7-1/4" Rear Handle Circular Saw10.0Ah Stacked Lithium Battery280W Rapid Charger7-1/4" 24T FLEX BladeBlade WrenchFLEX Bag	

24V BRUSHLESS
RECIPROCATING
SAWS

QUICK KEYLESS
BLADE EJECT

CUTS MORE
PER CHARGE
UP TO 50 4X4'S*

*WITH A 5.0Ah LITHIUM-ION BATTERY

40% LESS
VIBRATION SUPPRESSION

ORBITAL ACTION
FASTER CUTTING SPEED



24V BRUSHLESS
RECIPROCATING SAWS

No demo is too tough for the FLEX 24V Brushless Reciprocating Saw. This saw features fast, orbital cutting action and delivers more cuts per charge. Vibration suppression reduces fatigue. Switch blades on-the-fly with quick and easy keyless blade eject. Built-in LED lighting illuminates your site.



FX2271-Z TOOL ONLY



FX2271-1C

	FX2271-Z TOOL ONLY	FX2271-1C
Integrated LED Light	Yes	
Stroke	1-1/4 in	
No-Load Speed	0-3,000 RPM	
Tool Weight (without battery)	7.3 lbs	
Includes	<ul style="list-style-type: none">Reciprocating Saw9" 6TPI Nail-Embedded Wood Demolition Blade6" 8/11TPI Thick Metal Demolition BladeFLEX Bag	<ul style="list-style-type: none">Reciprocating Saw5.0Ah Lithium-Ion Battery160W Fast Charger9" 6TPI Nail-Embedded Wood Demolition Blade6" 8/11TPI Thick Metal Demolition BladeFLEX Bag




24V BRUSHLESS
ONE-HANDED
RECIPROCATING
SAWS



COMPACT SIZE
ONE-HANDED USE



EFFICIENT CUTTING
1-INCH STROKE



COUNTERBALANCED
GEARBOX
REDUCES VIBRATION



QUICK KEYLESS
BLADE EJECT

24V BRUSHLESS
ONE-HANDED RECIPROCATING SAWS

With the FLEX 24V One-Handed Reciprocating Saw, one hand is all you need to cut to the quick on lumber, copper pipe, or whatever else the job throws at you. It's precision-weighted to give effortless control, while offering fast, orbital cutting action that delivers more cuts per charge. Vibration suppression reduces fatigue. Switch blades on-the-fly with quick and easy keyless blade eject. Built-in LED lighting illuminates your workpiece. All this comes with the FLEX Advantage of unmatched 24V battery power, runtime, and faster charging.



FX2241-Z TOOL ONLY



FX2241-1A

	FX2241-Z TOOL ONLY	FX2241-1A
Integrated LED Light	Yes	
Stroke	1 in	
No-Load Speed	0-3,000 RPM	
Tool Weight (without battery)	4.2 lbs	
Includes	<ul style="list-style-type: none">One-Handed Reciprocating Saw9" 6TPI Nail-Embedded Wood Demolition BladeFLEX Bag	<ul style="list-style-type: none">One-Handed Reciprocating Saw2.5Ah Lithium-Ion Battery160W Fast Charger9" 6TPI Nail-Embedded Wood Demolition BladeFLEX Bag



24V BRUSHLESS
OSCILLATING
MULTI-TOOL




24V BRUSHLESS
OSCILLATING MULTI-TOOL

The FLEX 24V Brushless Oscillating Multi-Tool channels up to 20,000 OPM to cut, trim, plunge, sand, grind, and scrape with confidence. Maintain control with advanced vibration suppression. The 3D Starlock connection maximizes the exchange between motor and blade for ultimate oscillating efficiency while making blade changes super easy. Built-in LED lighting also ensures complete visibility while you work, even in tough conditions.



	FX4111-Z TOOL ONLY	FX4111-1A
Integrated LED Light	Yes	
No-Load Speed	10,000-20,000 OPM	
Oscillating Angle Left/Right	4° (+/- 2°)	
Accessory System	Starlock Max	
Blade Compatibility	Starlock, Starlock Plus, Starlock Max	
Number of Speed Settings	5	
Tool Weight (without battery)	2.8 lbs	
Includes	<ul style="list-style-type: none">• Oscillating Multi-Tool• Depth Guide• 1-1/4" Bi-Metal Plunge Cut Starlock Blade• 1-1/4" High Carbon Steel Plunge Cut Starlock Blade• FLEX Bag	<ul style="list-style-type: none">• Oscillating Multi-Tool• 2.5Ah Lithium-Ion Battery• 160W Fast Charger• Depth Guide• 1-1/4" Bi-Metal Plunge Cut Starlock Blade• 1-1/4" High Carbon Steel Plunge Cut Starlock Blade• FLEX Bag



24V BRUSHLESS
JIG SAWS



ONE-TOUCH
BLADE EJECT

CONTROLLED CUTS
FOUR SPEEDS WITH AUTO



MAXIMUM
CUT ACCURACY
BLADE HOLDER



ACCESSIBLE
LED LIGHT

24V BRUSHLESS
JIGSAWS

Cut with ultimate precision and control with the FLEX 24V Brushless Barrel Grip Jigsaw and the FLEX 24V Brushless D-Handle Jigsaw. These versatile jigsaws features four adaptable speeds and auto mode. A dual-guide blade holder improves accuracy and an LED light ensures confidence in every cut. Switch blades mid-work easily using the one-touch blade eject system.

ATTACHMENT

RIP FENCE
FT221

Rip and repeat with total confidence. This FLEX Rip Fence delivers accuracy with its durable steel construction. The Rip Fence easily secures on either side of FLEX 24V Jigsaws for repeatable, precise cuts.

Bar Width: 3/8 in
Bar Thickness: 3/32 in
Attachment Length: 9-1/2 in
Attachment Width: 3-25/32 in
Attachment Weight: 0.2 lbs



FX2221-Z TOOL ONLY



FX2231-Z TOOL ONLY

	FX2221-Z TOOL ONLY	FX2231-Z TOOL ONLY
Integrated LED Light	Yes	
Stroke Length	1 in	1 in
No-Load Speed	800-3,500 SPM	0-3,500 SPM
Orbital Settings	3	3
Speed Settings	4+A	4+A
Tool Weight (without battery)	4.9 lbs	5.1 lbs
Includes	<ul style="list-style-type: none">• Barrel Grip Jigsaw• Hex Key• Base Plate Cover• Chip Guard• Anti-Splinter Insert• Dust Port• 3-1/4" 20 TPI T-Shank FLEX Blade• 4" 5~6 Progressive TPI T-Shank FLEX Blade	
	<ul style="list-style-type: none">• D-Handle Jigsaw• Hex Key• Base Plate Cover• Chip Guard• Anti-Splinter Insert• Dust Port• 3-1/4" 20 TPI T-Shank FLEX Blade• 4" 5~6 Progressive TPI T-Shank FLEX Blade	

SURFACING





24V BRUSHLESS
ANGLE GRINDERS
WITH PADDLE SWITCH

UNMATCHED POWER
UP TO 10,000 RPM

TOUCH CONTROL
ADJUSTABLE SPEEDS

ANTI-KICKBACK
BRAKE TECHNOLOGY

VIBRATION
SUPPRESSION HANDLE

24V BRUSHLESS
ANGLE GRINDERS WITH PADDLE SWITCH

The FLEX 24V Brushless 5" Variable Speed Angle Grinder with Paddle Switch delivers next-level advantages to the jobsite. Unleash up to 10,000 RPM of unmatched power but also work with confidence and control. Key safety features include soft start, restart protection, overload protection, anti-kickback protection, and brake. The vibration suppression, adjustable touch controls, and one-step guard adjustment provide improved ergonomics while the exceptional runtime keeps you going and going.



FX3171Z TOOL ONLY



FX3171A-Z TOOL ONLY




FX3171A-1C

ATTACHMENTS

CUTTING GUARD
FT311

Shield yourself from sparks and debris with the FLEX Cutting Guard for FLEX 4-1/2" - 5" Angle Grinders. This guard provides protection when using cutting wheels with easy, one-step guard adjustment to adapt to every application.

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.6 lbs



DUST SHROUD
FT312

Maximize your grinder with the adaptable FLEX Dust Shroud for FLEX 24V Angle Grinders. The tool-free one-step guard adjustment allows for optimal dust collection in any position. Get the most out of every cup wheel with height adjustable shroud, while a removable nose cap allows flush coverage for grinding near walls. This shroud's interchangeable protective skirting provides for optimal suction that lasts.

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.4 lbs



	FX3171-Z TOOL ONLY	FX3171A-Z TOOL ONLY	FX3171A-1C
Integrated LED Light	Yes		Yes
No-Load Speed	10,000 RPM	3,500/5,000/7,000/10,000 RPM	
Wheel Diameter	4-1/2 - 5 in	4-1/2 - 5 in	
Switch Type	Paddle Switch, No Lock	Paddle Switch, No Lock	
Speed Settings	1	4	
Arbor Size	5/8 in	5/8 in	
Tool Weight (without battery)	4.2 lbs	4.2 lbs	
Includes	<ul style="list-style-type: none">• 5" Fixed Speed Angle Grinder with Paddle Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle	<ul style="list-style-type: none">• 5" Variable Speed Angle Grinder with Paddle Switch• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle	<ul style="list-style-type: none">• 5" Variable Speed Angle Grinder with Paddle Switch• 5.0Ah Lithium-Ion Battery• 160W Fast Charger• Grinding Guard• (2) Flanges• Wrench• Anti-Vibration Handle• FLEX Bag



24V BRUSHLESS
ANGLE GRINDERS
WITH SIDE SWITCH

UNMATCHED POWER
UP TO 10,000 RPM

TOUCH CONTROL
ADJUSTABLE SPEEDS

ANTI-KICKBACK
BRAKE TECHNOLOGY

VIBRATION
SUPPRESSION HANDLE

24V BRUSHLESS
ANGLE GRINDERS WITH SIDE SWITCH


The FLEX 24V Brushless 5" Variable Speed Angle Grinder with Paddle Switch delivers next-level advantages to the jobsite. Unleash up to 10,000 RPM of unmatched power but also work with confidence. Key safety features include soft start, restart protection, overload protection, anti-kickback protection, and brake. The vibration suppression, adjustable touch controls, and one-step guard adjustment provide improved ergonomics while the exceptional runtime keeps you going and going.

ATTACHMENTS

CUTTING GUARD
FT311

Shield yourself from sparks and debris with the FLEX Cutting Guard for FLEX 4-1/2"-5" Angle Grinders. This guard provides protection when using cutting wheels with easy, one-step guard adjustment to adapt to every application.

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.6 lbs



DUST SHROUD
FT312

Maximize your grinder with the adaptable FLEX Dust Shroud for FLEX 24V Angle Grinders. The tool-free one-step guard adjustment allows for optimal dust collection in any position. Get the most out of every cup wheel with height adjustable shroud, while a removable nose cap allows flush coverage for grinding near walls. This shroud's interchangeable protective skirting provides for optimal suction that lasts.

Diameter: 4-1/2 in & 5 in
Attachment Weight: 0.4 lbs



FX3181-Z TOOL ONLY



FX3181A-Z TOOL ONLY

	FX3181-Z TOOL ONLY	FX3181A-Z TOOL ONLY
Integrated LED Light	Yes	Yes
No-Load Speed	10,000 RPM	3,500/5,000/7,000/10,000 RPM
Wheel Diameter	4-1/2 - 5 in	4-1/2 - 5 in
Switch Type	Side Switch with Lock	Side Switch with Lock
Speed Settings	1	4
Arbor Size	5/8 in	5/8 in
Tool Weight (without battery)	4.2 lbs	4.2 lbs
Includes	<ul style="list-style-type: none">5" Fixed Speed Angle Grinder with Side SwitchGrinding Guard(2) FlangesWrenchAnti-Vibration Handle	<ul style="list-style-type: none">5" Variable Speed Angle Grinder with Side SwitchGrinding Guard(2) FlangesWrenchAnti-Vibration Handle

SPECIALTY





24V BRUSHLESS
DRYWALL SCREW GUN
WITH MAGAZINE ATTACHMENT



CONTINUOUS POWER
LOCK-ON SWITCH



EFFICIENT
ATTACHMENT ADJUSTMENTS



MAXIMUM COMFORT
ERGONOMIC DESIGN

24V BRUSHLESS
TOOL ONLY

DRYWALL SCREW GUN WITH
MAGAZINE ATTACHMENT

FX1611-Z

Hang sheet after sheet with ease with the FLEX 24V Brushless Drywall Screw Gun with Magazine. This lightweight screw gun arms you with the ultimate in speed and efficiency. Lock-on mode delivers continuous power to secure drywall panels. Setup is easy with tool-free adjustments. The bright, built-in LED light illuminates dark spaces. All this performance is built on the FLEX Advantage of unmatched battery power, runtime, and fast charging.



ATTACHMENT

COLLATED MAGAZINE
FT161

Enhance your FLEX 24V Drywall Screw Gun with the adaptable FLEX Collated Magazine. This attachment improves productivity with automated screw feed. Setup is easy with tool-free adjustments, and the magazine rotates a full 360° for any application—even reaching into tight corners.

Magazine Length: 8-5/16 in
Collated Screw Length: 1-2 in
Collated Screw Size: #6, #7, and #8
Max. Screw Per Strip: 50 pcs
Attachment Weight: 0.7 lbs



	FX1611-Z TOOL ONLY
Bit Type	1/4 in Hex
No-Load Speed	0-4,500 RPM
Tool Weight (Tool Only)	2.5 lbs
Includes	<ul style="list-style-type: none">• Drywall Screw Gun• Magazine Attachment For Collated Screws• Belt Clip• Bit Holder• Magazine Bit Holder• Long PH2 Bit• Long PH2 Bit



Wrench Storage

Top Blowing Vent

LED Light

Collet Nut

Bit

Depth Guide

Thumb Screw

Spindle Lock Button

Side Blowing Vent

On/Off Switch

24V BRUSHLESS DRYWALL CUTOUT TOOL

FLEXIBLE

DUST CONTROL

EXCEPTIONAL RUNTIME

UP TO 150 OUTLET BOXES PER CHARGE

*WITH A 2.5Ah LITHIUM-ION BATTERY (SOLD SEPARATELY)

ON-BOARD

WRENCH STORAGE


24V BRUSHLESS

TOOL ONLY

DRYWALL CUT OUT TOOL

FX2471-Z

The FLEX 24V Brushless Drywall Cut Out Tool powers through the entire day with its exceptional runtime—up to 150 outlet boxes per charge. Adjustable airflow directs the dust away from the work in the direction desired. Built-in LED lighting illuminates your work area in dark conditions. This cut out tool also delivers the FLEX Advantage of unmatched FLEX 24V battery power, runtime, and fast charging to keep you going.



FX2471-Z TOOL ONLY

No-Load Speed	28,000 RPM
Collet Diameter	1/4 in and 1/8 in
Tool Length	9 in
Includes	<ul style="list-style-type: none"> • Drywall Cut Out Tool • Belt Clip • Wrench • (2) Collets (1/8 in and 1/4 in) • (2) 1/8 in Drywall Bits



Gear Selector Switch

Impact Guard

Chuck

24V BRUSHLESS
MUD MIXER

MIX CONTROL
3 SPEED MODES

SUPERIOR CONTROL
DUAL HANDLE DESIGN

TWO MECHANICAL
GEAR SPEEDS

24V BRUSHLESS

TOOL ONLY

MUD MIXER

FX6151-Z

The FLEX Mud Mixer delivers the power, comfort, and control to prep any material for the job. The ergonomic dual-handle design enhances your stability and control. Two mechanical gear speeds help you power through even the toughest mixes with ease. Additionally, three electronic speed modes help you dial in the speed for total control of every mix. Fits all of common paddles using this mixer's secure, 1/2-inch keyed chuck. And maximize your FLEX Advantage with FLEX battery cross-compatibility to deliver the same unrivaled power, runtime, and fast charging speed as your other FLEX power tools.



FX6151-Z TOOL ONLY

Tool Capacity	1/2 in Chuck
No-Load Speed - 1st Gear	0-210/325/530 RPM
No-Load Speed - 2nd Gear	0-320/490/780 RPM
Tool Weight	9.5 lbs

Includes

- Mud Mixer
- Chuck Key
- Key Holder

SYSTEM SUPPORT





**24V
FLOOD
LIGHT**



**ADJUSTABLE
360° LIGHT**



**JOBSITE VISIBILITY
UP TO 2,000 LUMENS**



**ADAPTABLE
MOUNTS**

**TOOL ONLY
FLOOD LIGHT
FX5131-Z**

The FLEX 24V Flood Light delivers ultimate visibility with essential jobsite durability. Control up to 2,000 Lumens where you need light most with 360° adjustability and adaptable mounts. A strong, aluminum frame provides the strength to withstand even the toughest worksite conditions. And, to top it all off, this flood light is built around the same FLEX Advantage as all other FLEX power tools for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging across your whole tool set.



FX5131-Z TOOL ONLY	
Max. Lumens	2,000 lm
Runtime	Up to 5 hours on high mode with a 5.0 Ah battery
Rotation	360°
Mounting	Stand-Alone, Tripod, or Hanging
Tool Weight	5.6 lbs
Includes	• Flood Light





24V
**WORK
LIGHT**



**ADJUSTABLE
104° LIGHT**



**JOBSITE VISIBILITY
UP TO 300 LUMENS**



**BRIGHTNESS CONTROL
2 MODES**

TOOL ONLY

WORK LIGHT

FX5111-Z


Light up your work area with the FLEX LED Work Light for ultimate jobsite visibility. This ultra-bright LED work light packs up to 300 lumens into a compact design to illuminate tight spaces, and its adjustable head rotates 104° for precision lighting where you need it. Enjoy hands-free flexibility with the work light's belt clip and hanging hook so you can keep your focus on the task at hand to power through the workday.



FX5111-Z TOOL ONLY	
Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging
Includes	<ul style="list-style-type: none"> • LED Work Light • Belt Clip



24V
MODULAR DUAL
POWER LED
TOWER LIGHT



ULTRA-FAST SETUP
7 FT. QUICK EXTENSION

DUAL POWER
POWERED BY FLEX 24V BATTERY*
OR EXTENSION CORD

*BATTERY SOLD SEPARATELY

ULTIMATE VISIBILITY
UP TO 4,000 LUMENS

TOOL ONLY

MODULAR DUAL POWER LED
TOWER LIGHT

FX5141-Z

The FLEX 24V Modular Dual Power LED Light takes lighting the jobsite to a whole new level. Control up to 4,000 Lumens where you need light most with 360° adjustability and a 3-panel light head. A strong, aluminum frame and tripod means it can withstand whatever the workday throws at it. Remove the light from the tripod for portable use. Plus, the tripod has a standard 1/4" screw mount, so it's compatible with your camera and laser level. It even has a USB-C port so you can keep your devices charged while you work. Includes FLEX Advantage for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging (battery sold separately).



FX5141-Z TOOL ONLY

Max. Lumens	4,000 lm
Runtime	Up to 2.5 hours on high mode with a 5.0 Ah battery
Rotation	270° for main hinge, 180° for the first pole, 210° for side panels
Alternate Mounting Method	Stand-Alone or Hanging
Dual Power	24V Battery/120V AC when used with power cord
USB Output	Type-C
IP Rating	IP54
Tool Weight	18 lbs

Includes

- Modular Dual Power LED Tower Light



AM/FM Digital Tuner

Bluetooth Compatible

Dual Speakers & Bass Boost

Impact Protection and Weather Resistant Design

JOBSITE RADIO

**DUAL SPEAKERS
AND BASS BOOST**

**BLUETOOTH COMPATIBLE
UP TO 150 FEET**

**WEATHER-RESISTANT
IP64 RATED**

TOOL ONLY

JOBSITE RADIO

FX5351-Z

The FLEX Jobsite Radio is built to deliver excellent sound quality both indoors and out. Blast music or AM/FM radio with powerful dual speakers and bass boost to keep your sound loud and clear. Added Bluetooth™ connectivity provides custom streamability while you work, receiving signals up to 150 feet. This radio is jobsite-ready with a reinforced roll cage to protect it from sudden impacts. Its IP64-rated protection eliminates threats like dust and moisture. All this, powered by the same FLEX Advantage as FLEX power tools—providing unmatched battery power, runtime, and fast charging speed. (Battery sold separately.)



	FX5351-Z
Bluetooth Version	5.0
Bluetooth Distance	Up to 150 ft
IP (Ingress Protection) Rating	IP64
AM/FM Digital Tuner	Yes
Tool Length	7.2 in, 182 mm
Tool Weight (without battery)	7.7 lbs, 3.5 kg
Includes	<ul style="list-style-type: none">Jobsite Radio3.5mm AUX cord120V AC Adapter





**24V BRUSHLESS
WET/DRY
VACUUM**



**REVERSE FLOW FUNCTION
KEEPS FILTER CLEAR**



**DOMINATES WET & DRY
41 CFM & 42 IN. LIFT**



**EXTENDED RUNTIME
ECO & BOOST MODES**

**24V BRUSHLESS
TOOL ONLY**

1.6 GALLON WET/DRY VACUUM
FX5221-Z

The FLEX 1.6 Gallon Wet/Dry Vacuum dominates spills, dust, and debris with powerful suction. Optimize your runtime and performance to meet job demands with enhanced Eco and Boost modes. Reduced performance is a thing of the past with instant flow reversal, which keeps the filter clear and suction maxed. Onboard storage keeps attachments ready. This jobsite vacuum is also powered by the same superior FLEX Advantage as other FLEX power tools, meaning unmatched 24V battery power, runtime, and fast charging speed.



FX5221-Z TOOL ONLY

Dry Capacity	1.6 gal
Wet Capacity	0.8 gal
Max . Air Flow	41 CFM
Water Lift	42 in
Nozzle Diameter	1-3/8 in
Tool Weight	7.3 lbs

Includes

- 1.6 Gallon Wet/Dry Vacuum
- 8" x 1-3/8" Flexible Hose
- 1-3/8" to 1-1/4" Hose Adapter
- Round Brush
- Utility Nozzle
- Crevice Tool
- Washable HEPA Filter
- Carrying Strap




ATTACHMENT

FLEECE DUST BAGS
FT522

Keep your tank dust free with FLEX Fleece Dust Bags designed for the FLEX Wet/Dry Vacuum. These disposable fleece dust bags capture fine particles and even pre-filter to prolong the life of your filter. FLEX Fleece Dust Bags also have a higher capacity than conventional bags. Switch from dry to wet vacuum with no mess. Comes in a 5-pack for added convenience.





24V BRUSHLESS
JOBSITE BLOWER



TURBO FUNCTION
POWER THROUGH DEBRIS



POWERFUL AIRFLOW
UP TO 115 CFM & 185 MPH



VARIABLE
SPEED DIAL

24V BRUSHLESS
TOOL ONLY
JOBSITE BLOWER
FX5441-Z

Dirt and dust have nowhere to hide with the FLEX Jobsite Blower. Featuring a brushless motor, a turbine fan, variable speed settings, and good balance in a lightweight build, this tool delivers a knockout blow to those troublesome hard-to-reach areas. Built for moderate duty at an unbeatable price, it delivers very focused airflow so you can stay clean and in control. Includes FLEX Advantage for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging.



FX5441-Z TOOL ONLY	
Max. Air Volume	115 CFM
Max. Air Speed	185 MPH
Runtime	Up to 10 min on turbo mode with a 2.5Ah battery; Up to 14 min on high speed with a 2.5Ah battery
Tool Weight	2.8 lbs
Includes	<ul style="list-style-type: none">• Jobsite Blower• Extension Tube• Inflate/Deflate Adapter



24V BRUSHLESS
JOBSITE FAN

LONG RUNTIME
UP TO 46 HOURS*

*ON LOW WITH A 5.0Ah BATTERY. (SOLD SEPARATELY)

POWERFUL AIRFLOW
UP TO 1,100 CFM & 19 MPH

DUAL POWER
POWERED BY FLEX 24V BATTERY*
OR EXTENSION CORD

*BATTERY SOLD SEPARATELY

24V BRUSHLESS
TOOL ONLY
JOBSITE FAN
FX5471-Z



The 24V Jobsite Fan provides up to 46 hours of portable air flow on a single charge with a 5.0Ah lithium battery on low (sold separately). Dust and fumes don't stand a chance against the force of 1100 CFM. Ideal for improved circulation in close quarters, freshly painted areas, and any place you need to clear the air. Designed to seamlessly attach to the FLEX Stack Pack™ storage case for optimized organization and accessibility. Variable speed settings and 180-degree pivoting rotation put you in control, and its innovative Stack Pack™ connection means it won't tip over. Includes FLEX Advantage for ultimate cross-compatibility—ensuring unmatched battery power, runtime, and fast charging.




FX5471-Z TOOL ONLY	
Max. Air Volume	1,100 CFM
Max. Air Speed	19 MPH
Pivoting Angle	180°
Dual Power	24V FLEX Battery/120V AC when used with power cord
USB Output	Type-C
Runtime	Up to 4 hours with a 5.0Ah Lithium-Ion battery at max speed
Fan Blade Size	8-1/2 in
Alternate Mounting Method	Carrying Handle, Hanging Hook, Key Holes, Tripod Mount (1/4" & 5/8" bolt), or Rebar Holes
Tool Weight	6.6 lbs
Includes	<ul style="list-style-type: none">Jobsite Fan3.3 ft AC Extension Cord




STORAGE & ORGANIZATION



FLEX STACK PACK™



ATTACHMENTS



**SECURED
ATTACHMENTS**



**VERSATILE MOUNTING
BATTERY HOLDER**



**ADJUSTABLE
CHARGER MOUNT**

STACK PACK™ ATTACHMENTS



Add even more versatility to your FLEX Stack Pack™ storage solutions with Stack Pack™ attachments. Securely hang power tools from your tool boxes for easy access on the job with the Front and Side Tool Rack Rails. Easily secure and transport power cords and long items with the Storage Cord Wrapper and Level Holder, and bring plenty of power to the jobsite with the FLEX Stack Pack™ Battery Holder and Adjustable Charger Mount, 2-Pack.

BATTERY HOLDER FS1601




- Stack Pack™ Compatible
- **VERSATILE MOUNTING**
Securely mounts batteries inside STACK PACK™ tool boxes, on outer rack attachments, or on the wall
- **STORE UP TO THREE BATTERIES**
Compatible with FLEX batteries only

LEVEL HOLDER FS1602



- Stack Pack™ Compatible
- **EASILY TRANSPORT LONG ITEMS**
Secure and transport long items like levels and conduit benders

FRONT TOOL RACK RAIL FS1603



- Stack Pack™ Compatible
- **MAXIMUM ACCESSIBILITY**
Hang power tools from the front of your storage tool boxes for easy access on the job
- **DURABLE CONSTRUCTION**
Made from durable steel with a slip-resistant design to securely hang tools or batteries
- Magnetic

SIDE TOOL RACK RAILS, 2-PACK FS1604-2




- Stack Pack™ Compatible
- **MAXIMUM TOOL ACCESSIBILITY**
Constructed from durable steel with a slip-resistant design to securely hang tools or batteries for easy access on the jobsite
- Magnetic

STORAGE CORD WRAPPER FS1605



- Stack Pack™ Compatible
- **ULTIMATE ORGANIZATION**
Add-on attachment keeps cords organized for storage and transport

ADJUSTABLE CHARGER MOUNT, 2-PACK FS1606-2



- Stack Pack™ Compatible
- **VERSATILE MOUNTING**
Flexible mounting plate stores chargers in the tool box or on the wall in the workshop; its adjustable design adapts to fit a variety of FLEX chargers

FLEX
STACK
PACK™

Battery Holder
and Batteries
(Sold Separately;
see page 73)

Two-Piece Metal
Latch Locks

Quick-Connect,
Multi-Layout
Connection Points

Removable
Accessory Trays

Aluminum
Reinforced
Corners with
Attachment
Interface

TOOL
BOXES

ADDITIONAL STORAGE
ACCESSORY TRAYS

BITS CASE STORAGE
MULTIPLE CONFIGURATIONS

QUICK-CONNECT
LATCH AND LOCK

STACK PACK™
TOOL BOXES



FLEX STACK PACK™ tool boxes offer endlessly customizable storage solutions to pack everything you need for a day on the job. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Quick-connect interlocking attachment points offer fast and effortless connectivity with any piece in the STACK PACK™ storage system so you can custom build your layout for the ultimate traveling workshop.

BUILD YOUR
STACK PACK™
FOR UNRIVALED
ORGANIZATION



SCAN HERE TO START BUILDING YOUR
FLEX STACK PACK™ SYSTEM



	FS1101	FS1102	FS1103
Quick-Connect Latches	Yes	Yes	Yes
Accessory-Ready	Yes	Yes	Yes
Wheels	9" Rugged Rubber	No	No
Weight Capacity	250 lbs	140 lbs	110 lbs
IP Rating	IP65	IP65	IP65
Outside Dimensions	22"W x 42.1"H x 19.1"D (Handle Fully Extended) 22"W x 26.3"H x 19.1"D (Handle Closed) 22"W x 20.3"H x 19.1"D (Handle Removed)	22"W x 11.5"H x 15.6"D	22"W x 7.7"H x 15.6"D
Inside Dimensions	16.7"W x 14.5"H x 14.8"D	16.7"W x 9.1"H x 12.6"D	16.7"W x 5.4"H x 12.6"D
Includes	<ul style="list-style-type: none">Rolling Tool BoxRemovable Rear HandleRemovable Accessory Tray	<ul style="list-style-type: none">Medium Tool BoxRemovable Accessory Tray	<ul style="list-style-type: none">Suitcase Tool Box(2) Organizer Cases with Lids(2) Organizer Cases


FLEX
STACK
PACK™



Aluminum
Reinforced
Corners with
Attachment
Interface

9" Rugged
Rubber Wheels

**STORAGE
SYSTEM**



ADDITIONAL STORAGE
ACCESSORY TRAYS

BITS CASE STORAGE
MULTIPLE CONFIGURATIONS

QUICK-CONNECT
LATCH AND LOCK

**3 PC. STORAGE
SYSTEM SET**

FS1101-3



Pack everything you need for a day on the job with the FLEX STACK PACK™ 3-PC. Storage System. Quick-connect interlocking attachment points offer fast and effortless connectivity to customize your layout with any piece in the STACK PACK™ storage system. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Complete with the STACK PACK™ Rolling Tool Box, Medium Tool Box, and Suitcase Tool Box, you'll have enough storage to bring the workshop with you to and from the jobsite.




	FS1101-3
Quick-Connect Latches	Yes
Accessory-Ready	Yes
Wheels	9" Rugged Rubber
Weight Capacity	500 lbs (Stationary)
IP Rating	IP65
Outside Dimensions	22"W x 42.1"H x 19.1"D (Handle Fully Extended)
Inside Dimensions	FS1101 16.7"W x 14.5"H x 14.8"D FS1102 16.7"W x 9.1"H x 12.6"D FS1103 16.7"W x 5.4"H x 12.6"D
Includes	<ul style="list-style-type: none">• Rolling Tool Box• Medium Tool Box• Suitcase Tool Box• Removable Rear Handle• (2) Removable Accessory Trays• (2) Organizer Cases with Lids• (2) Organizer Cases


FLEX
STACK
PACK™



TOOL ORGANIZERS



ADDITIONAL STORAGE
ACCESSORY TRAYS



VERSATILE MOUNTING
NEST OR ATTACH



QUICK-CONNECT
LATCH AND LOCK

STACK PACK™
ORGANIZERS



Organize and easily access the bolts, screws, and supplies you need for a day on the job with the FLEX STACK PACK™ Organizer Box and Medium Organizer Box. Find the pieces you need quickly with their clear, see-through covers, then snap the lids securely back into place with two-piece durable locks. IP65 all-weather protection shields your tools and accessories from the elements, and an impact-resistant polypropylene body with aluminum reinforced corners offers protection from the toughest jobsite conditions. Quick-connect interlocking attachment points offer fast and effortless connectivity with any piece in the STACK PACK™ storage system so you can custom build your layout for the ultimate traveling workshop.



FS1301



FS1302

	FS1301	FS1302
Quick-Connect Latches	Yes	Yes
Accessory-Ready	Yes	Yes
Weight Capacity	50 lbs	25 lbs
IP Rating	IP65	IP65
Includes	<ul style="list-style-type: none">• Organizer Box• (8) Removable Organizer Trays with Dividers	<ul style="list-style-type: none">• Medium Organizer Box• (4) Removable Organizer Trays with Dividers

BUILD YOUR
STACK PACK™
FOR UNRIVALED
ORGANIZATION




SCAN HERE TO START BUILDING YOUR
FLEX STACK PACK™ SYSTEM

VERSATILE
MOUNTING
OPTIONS



Nest on top of organizers
for easy access



Attach to rack rails on tool
boxes for on-the-go access

STACK PACK™ COMPATIBILITY
QUICK REFERENCE GUIDE

STACK PACK BOXES AND ORGANIZERS

	FS1101 ROLLING TOOL BOX	FS1102 MEDIUM TOOL BOX	FS1103 SUITCASE TOOL BOX	FSM1101-3 3PC. STORAGE STORAGE SYSTEM	FS1301 ORGANIZER BOX	FS1301 MEDIUM ORGANIZER BOX
FAM10101-29 29PC. IMPACT DRIVER SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10102-41 41PC. IMPACT DRIVER SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10001-31 31PC IMPACT DRILL & DRIVE SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10103-45 45PC. IMPACT DRIVER SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10401-10 10PC. 6-POINT IMPACT SOCKET SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10601-10 10PC. DRILL & DRIVE SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FAM10701-3 3PC. AUGER SET	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FX5471-Z JOBSITE FAN	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only
FX0411-Z 160W FAST CHARGER	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FX0421-Z 280W RAPID CHARGER	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FX0431-Z 550W SUPER CHARGER	Interior Only	Interior Only	Not Compatible	Interior Only	Not Compatible	Not Compatible
FX0451-Z 1120W 4-PORT CHARGER	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Not Compatible
FS1601 BATTERY HOLDER	Interior & Exterior	Interior & Exterior	Exterior Only	Interior & Exterior	Exterior Only	Exterior Only
FS1602 LEVEL HOLDER	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Not Compatible
FS1603 FRONT RACK RAIL	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Not Compatible
FS1604-2 SIDE RACK RAIL, 2-PACK	Not Compatible	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only
FS1605 CORD WRAPPER	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only	Exterior Only
FS1606-2 ADJUSTABLE CHARGER MOUNTS, 2-PACK	Interior Only	Interior Only	Interior Only	Interior Only	Not Compatible	Not Compatible

ACCESSORIES AND ATTACHMENTS

COMBO KITS

24V BRUSHLESS

LITHIUM-ION STARTER KIT

FX0411-1C

24V

5.0Ah

LITHIUM
BATTERY

280W

RAPID
CHARGER



The FLEX 24V Lithium Battery Platform brings power output to the next level. It combines intelligent battery management with state-of-the-art THERMA-TECH™ cooling technology to deliver power that's up to 20% higher than anything you've experienced. Kit includes 24V battery and charger.

160W FAST CHARGER

FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

5.0Ah LITHIUM-ION BATTERY

FX0221-1

Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

24V BRUSHLESS

STACKED LITHIUM STARTER KIT

FX0421-1H

24V

6.0Ah

STACKED
LITHIUM
BATTERY

280W

RAPID
CHARGER



The FLEX 24V Stacked Lithium Battery Platform offers industry-dominating power and performance. Its intelligent power management enables higher discharging, and it combines THERMA-TECH™+ cooling technology with high-performance heat management protection to offer faster charging and a longer battery life to power through the workday. Kit includes 24V battery and charger.

280W RAPID CHARGER

FX0421-Z

Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lb, 1 kg

6.0Ah STACKED LITHIUM BATTERY

FX0331-1

Power	1,920W
Energy	144Wh
Battery Weight	2.2 lb, 1 kg

24V BRUSHLESS

HAMMER DRILL, IMPACT DRIVER, 7-1/4" CIRCULAR SAW, OSCILLATING MULTI-TOOL, RECIPROCATING SAW AND WORK LIGHT

FXM601-2B



1/2" 2-SPEED HAMMER DRILL

FX1251

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Impact Rate	0-9,600/0-35,200 IPM
Peak Torque	750 in-lbs, 185 Nm
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	7 in, 178 mm
Tool Weight (without battery)	3.3 lbs, 1.5 kg

1/4" HEX IMPACT DRIVER

FX1351

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs, 203 Nm
Collet	1/4 in Hex
Tool Length	5.2 in, 131 mm
Tool Weight (without battery)	2.4 lbs, 1.1 kg

RECIPROCATING SAW

FX2271

Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

7-1/4" CIRCULAR SAW

FX2141

Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

OSCILLATING MULTI-TOOL

FX4111

Integrated LED Light	Yes
No-Load Speed	10,000-20,000 OPM
Oscillating Angle Left/Right	4° (+/- 2°)
Accessory System	Starlock Max
Blade Compatibility	Starlock, Starlock Plus, Starlock Max
Number of Speed Settings	5
Tool Weight (without battery)	2.8 lbs

Includes	Depth Guide, 1-1/4" (32mm) Bi-Metal Plunge Cut Blade, 1-1/4" (32mm) High Carbon Steel Plunge Cut Blade, 9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, 7-1/4" FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, FLEX Bag
----------	---

WORK LIGHT

FX5111

Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

160W FAST CHARGER

FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

5.0Ah LITHIUM-ION BATTERY

FX0221-1

Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

2.5Ah LITHIUM-ION BATTERY

FX0221-1

Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

24V BRUSHLESS

HAMMER DRILL WITH TURBO MODE, QUICK EJECT IMPACT DRIVER, 7-¼" CIRCULAR SAW, AND WORK LIGHT KIT

FXM403-2G



½" 2-SPEED HAMMER DRILL WITH TURBO MODE

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs, 158 Nm
Clutch Settings	24+D+H
Chuck Capacity	1/2 in

Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in, 182 mm
Tool Weight (without battery)	3.8 lbs, 1.7 kg

WORK LIGHT

FX5111	
Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

¼" QUICK EJECT HEX IMPACT DRIVER WITH MULTI MODE

FX1371A	
Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs, 282 Nm
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in, 119 mm
Tool Weight (without battery)	2.7 lbs, 1.2 kg

7-¼" CIRCULAR SAW

FX2141	
Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

6.0Ah STACKED LITHIUM BATTERY

FX0331-1	
Power	1,920W
Energy	144Wh
Battery Weight	2.2 lb, 1 kg

3.5Ah STACKED LITHIUM BATTERY

FX0321-1	
Power	1,200W
Energy	84Wh
Battery Weight	1.5 lb, 0.7 kg

280W RAPID CHARGER

FX0421-Z	
Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lb, 1 kg

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, 7-1/4" 24T FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, FLEX Bag
----------	--

24V BRUSHLESS

CIRCULAR SAW, RECIPROCATING SAW, ANGLE GRINDER AND DRILL DRIVER KIT

FXM402-2B



½" 2-SPEED DRILL DRIVER

FX1151	
Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs, 85 Nm
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in, 174 mm
Tool Weight (without battery)	3.2 lbs, 1.5 kg

5" FIXED SPEED ANGLE GRINDER WITH SIDE SWITCH

FX3181	
Integrated LED Light	Yes
No-Load Speed	10,000 RPM
Wheel Diameter	4-1/2 - 5 in
Switch Type	Side Switch with Lock
Speed Settings	1
Arbor Size	5/8 in
Tool Weight (without battery)	4.2 lbs

7-¼" CIRCULAR SAW

FX2141	
Integrated LED Light	Yes
Saw Blade	7-1/4 in
No-Load Speed	5,800 RPM
Bevel Capacity	0-56°
Arbor	5/8 in
Cut Capacity at 90°	2-5/8 in
Cut Capacity at 45°	1-7/8 in
Tool Weight (without battery)	9 lbs

RECIPROCATING SAW

FX2271	
Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

Includes	9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, Bit Holder, Belt Clip, 7-1/4" FLEX Blade, Vacuum Adapter & Lower Guard Lever, Blade Wrench, Grinding Guard, (2) Flanges, Wrench, Anti-Vibration Handle, FLEX Bag
----------	---

5.0Ah LITHIUM-ION BATTERY

FX0221-1	
Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

2.5Ah LITHIUM-ION BATTERY

FX0221-1	
Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

160W FAST CHARGER

FX0411-Z	
Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

24V BRUSHLESS

DRILL DRIVER, IMPACT DRIVER, RECIPROCATING SAW
AND WORK LIGHT KIT

FXM401-2A



½" 2-SPEED DRILL DRIVER
FX1151

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs, 85 Nm
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in, 174 mm
Tool Weight (without battery)	3.2 lbs, 1.5 kg

¼" HEX IMPACT DRIVER
FX1371

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs, 203 Nm
Collet	1/4 in Hex
Tool Length	5.2 in, 131 mm
Tool Weight (without battery)	2.4 lbs, 1.1 kg

RECIPROCATING SAW
FX2271

Integrated LED Light	Yes
Stroke	1-1/4 in
No-Load Speed	0-3,000 RPM
Tool Weight (without battery)	7.3 lbs

WORK LIGHT
FX5111

Max. Lumens	300/150 lm
Runtime	Up to 10.5 hours on high mode with a 2.5 Ah battery
Rotation	104°
Mounting	Stand-Alone, Belt Clip, or Hanging

160W FAST CHARGER
FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

5.0Ah LITHIUM-ION BATTERY
FX0221-1

Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

2.5Ah LITHIUM-ION BATTERY
FX0221-1

Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

Includes	Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, 9" (229 mm) 6TPI Nail-Embedded Wood Demolition Blade, 6" (155 mm) 8/11TPI Thick Metal Demolition Blade, FLEX Bag
----------	--

24V BRUSHLESS

HAMMER DRILL WITH TURBO
MODE AND QUICK EJECT
IMPACT DRIVER
KIT STACKED
LITHIUM KIT

FXM202-2G



½" 2-SPEED HAMMER DRILL WITH TURBO MODE
FX1271T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs, 158 Nm
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in, 182 mm
Tool Weight (without battery)	3.8 lbs, 1.7 kg

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs, 282 Nm
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in, 119 mm
Tool Weight (without battery)	2.7 lbs, 1.2 kg

6.0Ah STACKED
LITHIUM BATTERY

FX0331-1	
Power	1,920W
Energy	144Wh
Battery Weight	2.2 lb, 1 kg

3.5Ah STACKED
LITHIUM BATTERY

FX0321-1	
Power	1,200W
Energy	84Wh
Battery Weight	1.5 lb, 0.7 kg

280W RAPID
CHARGER

FX0421-Z	
Charging Current	9.4A
Input Voltage & Frequency	120V/60Hz
Charger Weight	2.2 lb, 1 kg

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, FLEX Bag
----------	---

24V BRUSHLESS

HAMMER
DRILL WITH
TURBO MODE
AND QUICK
EJECT IMPACT
DRIVER KIT

FXM202-2B



½" 2-SPEED HAMMER DRILL WITH TURBO MODE
FX1271T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Impact Rate	0-8,800/0-32,000 IPM
TURBO Impact Rate	0-11,200/0-40,000 IPM
Max. Torque	1,400 in-lbs, 158 Nm
Clutch Settings	24+D+H
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7.2 in, 182 mm
Tool Weight (without battery)	3.8 lbs, 1.7 kg

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs, 282 Nm
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in, 119 mm
Tool Weight (without battery)	2.7 lbs, 1.2 kg

5.0Ah LITHIUM-ION
BATTERY

FX0221-1	
Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

2.5Ah LITHIUM-ION
BATTERY

FX0221-1	
Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

160W FAST
CHARGER

FX0411-Z	
Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, FLEX Bag
----------	---

24V BRUSHLESS

DRILL DRIVER
WITH TURBO
MODE AND
QUICK EJECT
IMPACT DRIVER
KIT

FXM204-2B



½" 2-SPEED DRILL DRIVER WITH TURBO MODE

FX1171T

Integrated LED Light	Yes
No-Load Speed	0-550/0-2,000 RPM
TURBO Speed	0-700/0-2,500 RPM
Max. Torque	1,400 in-lbs, 158 Nm
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet with carbide teeth
Tool Length	7 in, 178 mm
Tool Weight (without battery)	3.7 lbs, 1.7 kg

¼" QUICK EJECT HEX IMPACT DRIVER WITH
MULTI MODE

FX1371A

Integrated LED Light	Yes
No-Load Speed	0-1,900/2,700/4,000 RPM
Impact Rate	0-4,450 IPM
Max. Torque	2,500 in-lbs, 282 Nm
Collet	Quick Eject 1/4" Hex
Tool Length	4.7 in, 119 mm
Tool Weight (without battery)	2.7 lbs, 1.2 kg

5.0Ah LITHIUM-ION
BATTERY

FX0221-1

Power	960W
Energy	120Wh
Battery Weight	2.1 lb, 1 kg

2.5Ah LITHIUM-ION
BATTERY

FX0221-1

Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

160W FAST
CHARGER

FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, FLEX Bag
----------	---

24V BRUSHLESS

DRILL DRIVER
AND IMPACT
DRIVER KIT

FXM201-2A



½" 2-SPEED DRILL DRIVER

FX1151

Integrated LED Light	Yes
No-Load Speed	0-600/0-2,200 RPM
Max. Torque	750 in-lbs, 85 Nm
Clutch Settings	22+D
Chuck Capacity	1/2 in
Chuck Type	Metal single-sleeve keyless ratchet
Tool Length	6.9 in, 174 mm
Tool Weight (without battery)	3.2 lbs, 1.5 kg

¼" HEX IMPACT DRIVER

FX1351

Integrated LED Light	Yes
No-Load Speed	0-3,400 RPM
Impact Rate	0-4,000 IPM
Max. Torque	1,800 in-lbs, 203 Nm
Collet	1/4 in Hex
Tool Length	5.2 in, 131 mm
Tool Weight (without battery)	2.4 lbs, 1.1 kg

2.5Ah LITHIUM-ION BATTERY

FX0221-1

Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

160W FAST CHARGER

FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg

Includes	Side Handle, Bit Holders, Belt Clips, #2 Phillips Bit, T25 Bit, FLEX Bag
----------	---

24V BRUSHLESS

DRYWALL SCREW GUN WITH
MAGAZINE ATTACHMENT AND
CUT OUT TOOL KIT

FXM203-2A

DRYWALL SCREW GUN

FX1611

Bit Type	1/4 in Hex
No-Load Speed	0-4,500 RPM
Tool Weight (Tool Only)	2.5 lbs

MAGAZINE ATTACHMENT FOR
COLLATED SCREWS

FT161

Magazine Length	8-5/16 in
Collated Screw Length	1-2 in
Collated Screw Size	#6, #7, and #8
Max. Screw Per Strip	50 pcs
Attachment Weight	0.7 lbs

DRYWALL CUTOUT TOOL

FX2471

No-Load Speed	28,000 RPM
Collet Diameter	1/4 in and 1/8 in
Tool Length	9 in



2.5Ah LITHIUM-ION BATTERY

FX0221-1

Power	480W
Energy	60Wh
Battery Weight	1.3 lb, 0.6 kg

160W FAST CHARGER

FX0411-Z

Charging Current	5A
Input Voltage & Frequency	120V/60Hz
Charger Weight	1.8 lb, 0.8 kg


Includes	Bit Holder, Belt Clips, Magnetic Bit Holder, Long PH2 Bit, Short PH2 Bit, Wrench, (2) Collets (1/8" & 1/4"),(2) Drywall Bits, FLEX Bag
----------	---

ACCESSORIES



DRILLING, DRIVING, & FASTENING

45 PC. IMPACT DRIVER BIT SET



IMPACT SHIELD



FAM10103-45

(6 PC.) 2" POWER BITS

(2) PH2 ⊕, (1) SQ2 ⊖, (1) T25 ⊕, (1) T30 ⊕, (1) T40 ⊕

(33 PC.) 1" INSERT BITS

(1) PH1 ⊕, (4) PH2 ⊕, (3) PH3 ⊕, (1) SQ1 ⊖, (5) SQ2 ⊖, (1) SQ3 ⊖,
(1) T10 ⊕, (1) T15 ⊕, (1) T20 ⊕, (3) T25 ⊕, (3) T30 ⊕, (3) T40 ⊕,
(1) SLOT 6 ⊖, (1) SLOT 8 ⊖, (1) SLOT 10 ⊖, (1) ALLEN 1/8" ⊕,
(1) ALLEN 5/32" ⊕, (1) ALLEN 3/16" ⊕, (1) ALLEN 1/4" ⊕

(2 PC.) 2" LENGTH NUT SETTER

(1) 1/4" ●, (1) 5/16" ●


(1 PC.) 2-3/8" MAGNETIC EXTENSION HOLDER

(2 PC.) 3" THIN WALL DEEP WELL 6-POINT 1/2" DRIVE NUT SOCKET WITH DUAL HOLES DESIGN


(1) 3/8" ●, (1) 1/2" ●

1/2" DRIVE TO 1/4" HEX DRIVE SOCKET ADAPTER

31 PC. IMPACT DRILL AND DRIVE BIT SET



IMPACT SHIELD



FAM10001-31

(9 PC.) 2" POWER BITS

(2) PH2 ⊕, (2) SQ2 ⊖, (2) T20 ⊕, (2) T25 ⊕, (1) T30 ⊕

(16 PC.) 1" INSERT BITS


(1) PH1 ⊕, (2) PH2 ⊕, (1) PH3 ⊕, (1) SQ1 ⊖, (2) SQ2 ⊖, (1) SQ3 ⊖,
(1) T15 ⊕, (3) T20 ⊕, (3) T25 ⊕, (1) T30 ⊕

(5 PC.) TITANIUM-COATED HEX SHANK DRILL BITS

(2) 1/8", (1) 5/32", (1) 3/16", (1) 1/4",

(1 PC.) 3" MAGNETIC EXTENSION HOLDER

41 PC. IMPACT DRIVER BIT SET



IMPACT SHIELD



FAM10102-41

(9 PC.) 2" POWER BITS

(2) PH2 ⊕, (2) SQ2 ⊖, (1) T20 ⊕, (3) T25 ⊕, (1) T30 ⊕

(28 PC.) 1" INSERT BITS

(2) PH1 ⊕, (4) PH2 ⊕, (2) PH3 ⊕, (2) SQ1 ⊖, (4) SQ2 ⊖, (2) SQ3 ⊖,
(2) T15 ⊕, (4) T20 ⊕, (4) T25 ⊕, (2) T30 ⊕


(2 PC.) 2" LENGTH NUT SETTER

(1) 1/4" ●, (1) 5/16" ●

(1 PC.) 3" MAGNETIC EXTENSION HOLDER

(1 PC.) 6" MAGNETIC EXTENSION HOLDER

29 PC. IMPACT DRIVER BIT SET



IMPACT SHIELD



FAM10101-29

(10 PC.) 2" POWER BITS

(3) PH2 ⊕, (2) SQ2 ⊖, (1) T20 ⊕, (3) T25 ⊕, (1) T30 ⊕

(16 PC.) 1" INSERT BITS

(1) PH1 ⊕, (2) PH2 ⊕, (1) PH3 ⊕, (1) SQ1 ⊖, (2) SQ2 ⊖, (1) SQ3 ⊖,
(1) T15 ⊕, (3) T20 ⊕, (3) T25 ⊕, (1) T30 ⊕

(2 PC.) 2" LENGTH NUT SETTER

(1) 1/4" ●, (1) 5/16" ●

(1 PC.) 3" MAGNETIC EXTENSION HOLDER

DRILLING, DRIVING, & FASTENING

2-9/16" 4 PC. IMPACT MAGNETIC NUT DRIVER SET




FLEX ZONE™

FAM10301-4


(4 PC.) 2-9/16" IMPACT MAGNETIC NUT SETTER

(1) 1/4" ●, (1) 5/16" ●, (1) 3/8" ●, (1) 7/16" ●

10 PC. CARBIDE-TIPPED MULTI-CONSTRUCTION DRILL & DRIVE BIT SET



IMPACT SHIELD



FAM10601-10

(5 PC.) CARBIDE-TIPPED MULTI-MATERIAL DRILL BITS

(1) 5/32", (1) 3/16", (2) 1/4", (1) 5/16"

(3 PC.) 2" INSERT BITS

(1) PH2 ⊕, (1) PH3 ⊕, (1) T25 ⊕

(2 PC.) 2" LENGTH NUT SETTER

(1) 3/8" ●, (1) 5/16" ●

10 PC. THIN WALL DEEP WELL 6-POINT 1/2" DRIVE IMPACT NUT SOCKET SET



IMPACT SHIELD



FAM10401-10

(9 PC.) 3" THIN WALL DEEP WELL 6-POINT 1/2" DRIVE NUT SOCKET WITH DUAL HOLES DESIGN

(1) 3/8" ●, (1) 7/16" ●, (1) 1/2" ●, (1) 9/16" ●, (1) 5/8" ●, (1) 11/16" ●,
(1) 3/4" ●, (1) 13/16" ●, (1) 7/8" ●

1/2" DRIVE TO 1/4" HEX DRIVE SOCKET ADAPTER

3 PC. 1/4" HEX AUGER SET



IMPACT SHIELD



FAM10701-3

(1) 5/8" WOOD AUGER DRILL BIT

(1) 3/4" WOOD AUGER DRILL BIT

(1) 1" WOOD AUGER DRILL BIT

DRILLING, DRIVING, & FASTENING

6" IMPACT MAGNETIC
EXTENSION
FA105001



- Bit Grade: Impact Rated
- Bit Length: 6 in, 152 mm
- Magnetic
- 1/4" Hex Shank
- C-Ring
- Stainless Steel body

12" IMPACT MAGNETIC
EXTENSION
FA105002




- Bit Grade: Impact Rated
- Bit Length: 12 in, 305 mm
- Magnetic
- 1/4" Hex Shank
- C-Ring
- Stainless Steel body

6" PHILLIPS BIT FOR COLLATED
ATTACHMENT (5-PACK)
FA101000-5



- Black Phosphate Coating
- Bit Length: 6 in, 152 mm
- 1/4" Hex Shank

IMPACKS 1" PH2
IMPACT DRIVER BIT 20PC.
FA101001-20




IMPACKS 2" PH2
IMPACT DRIVER BIT 20PC.
FA101002-20



IMPACKS 1" SQ2
IMPACT DRIVER BIT 20PC.
FA101003-20



IMPACKS 2" SQ2
IMPACT DRIVER BIT 20PC.
FA101004-20




IMPACKS 1" T25
IMPACT DRIVER BIT 20PC.
FA101005-20



IMPACKS 2" T25
IMPACT DRIVER BIT 20PC.
FA101006-20



IMPACKS 1" T30
IMPACT DRIVER BIT 20PC.
FA101007-20



IMPACKS 2" T30
IMPACT DRIVER BIT 20PC.
FA101008-20



IMPACKS 1" MIXED ALLEN
& SLOTTED IMPACT DRIVER
BIT 20PC.
FA101009-20



CUTTING

7¼" 24T CARBIDE
CIRCULAR SAW BLADE



For Use With Cordless And
Corded Circular Saws

	FA201001
Blade Type	Construction Framing + Forming
Materials	Wood, Treated Wood, Hardwood, Plywood
Number of Teeth	24T
Max. RPM	8,000 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Pieces per Package	1
	FA201001-10B
Pieces per Package	10

7¼" 40T FINE TRIM
CROSSCUT WOOD
BLADE



For Use With Cordless And
Corded Circular Saws

	FA201004-10B
Blade Type	Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF
Number of Teeth	40T
Max. RPM	7,900 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

7¼" 60T PREMIUM
PRECISION-TRIM/
CROSSCUT WOOD BLADE



For Use With Cordless And
Corded Circular Saws

	FA201005-10B
Blade Type	Ultra Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF, Melamine
Number of Teeth	60T
Max. RPM	8,800 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

6½" 24T CARBIDE
CIRCULAR SAW BLADE



For Use With Cordless And
Corded Circular Saws

	FA201002
Blade Type	Construction Framing + Forming
Materials	Wood, Treated Wood, Hardwood, Plywood
Number of Teeth	24T
Max. RPM	8,000 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Pieces per Package	1
	FA201002-10B
Pieces per Package	10

6½" 40T FINE TRIM
CROSSCUT WOOD
BLADE



For Use With Cordless And
Corded Circular Saws

	FA201007-10B
Blade Type	Fine Finish
Materials	Wood, Treated Wood, OSB, Laminate, MDF, Melamine
Number of Teeth	40T
Max. RPM	8,800 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

7¼" 24T DEMOLITION SUPERIOR
FRAMING/FORMING CIRCULAR
SAW BLADE



For Use With Cordless And
Corded Circular Saws

	FA201003-10B
Blade Type	Demolition, Extreme Framing, Concrete Construction, Forming
Materials	Wood, Nail Embedded Wood, Treated Lumber, Laminate, Plywood
Number of Teeth	24T
Max. RPM	7,900 RPM
Arbor Diameter	5/8" Round with 13/16" Diamond Knockout
Kerf	0.063"
Pieces per Package	10

CUTTING

12 PC. DEMOLITION
RECIPROCATING
SAW BLADE SET



	FA20201-12
Blade Type	Bi-Metal Blade Construction
Materials	Wood, Nails, Various Metals
Teeth Per Inch	(5) 6TPI, (5) 8/11TPI, (2) 10/14TPI
Blade Length	(8) 6in, (4) 9 in

9" CARBIDE
RECIPROCATING
SAW BLADE



	FA202006
Blade Type	Demolition Carbide Tooth Blade
Materials	Extreme Metal, Stainless Steel, Cast Iron
Teeth Per Inch	8TPI
Blade Length	9 in

5 PC. TRIMMING
PROJECT SET




	FAM40001-5
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool HCS Plunge Cut Blade	
(1) 3/8" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 3-1/2" Starlock Oscillating Multi-Tool Titanium Bi-M Segmented Saw Blade	
(1) 2" Starlock Oscillating Multi-Tool HCS Rigid Scraper Blade	

3 PC. PLUNGE
CUT BLADE SET



10 PC. JIGSAW
BLADE KIT



	FAM20301-10
(2) 4" 10TPI Clean	
(1) 4" 10TPI Clean down cut reverse tooth	
(3) 3-1/4" 20TPI clean curved cut	
(2) 4" 5-6TPI speed Progressive	
(3) 3-5/8" 17-24TPI thin metal progressive	
(1) 3-5/8" 11-14TPI medium metal progressive	

5 PC. TILING
PROJECT SET



	FAM40002-5
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-Metal Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool High Carbon Steel Plunge Cut Blade	
(1) 3" Starlock Oscillating Multi-Tool Carbide Grit-20 Delta Rasp	
(1) 3-1/2" Starlock Oscillating Multi-Tool Grit-30 Grout Grinding Blade 0.1" Grout	
(1) 2" Starlock Oscillating Multi-Tool High Carbon Steel Rigid Scraper Blade	

41 PC. SANDING
PROJECT SET



	FAM40003-41
(1) 3-5/8" Starlock Oscillating Multi-Tool Delta Sanding Pad	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 60 Grit	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 120 Grit	
(1) 3-5/8" (92 mm) Oscillating Multi-Tool Sanding Paper 180 Grit	
(1) Oscillating Multi-Tool Sanding Paper 240 Grit	

	FAM40101-3
(1) 1-1/4" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	
(1) 1-1/4" Starlock Oscillating Multi-Tool HCS Plunge Cut Blade	
(1) 3/8" Starlock Oscillating Multi-Tool Bi-M Plunge Cut Blade	

ACCESSORY TO TOOL COMPATIBILITY
QUICK REFERENCE GUIDE

		PRODUCTS																																			
		FX1151-Z	FX1151-2A	FX1171T-Z	FX1171T-2B	FX1251-Z	FX1251-2A	FX1271T-Z	FX1271T-2B	FX1271T-1H	FX1351-Z	FX1351-2A	FX1371A-Z	FX1371A-2B	FX1371A-1H	FX1471-Z	FX1471-1C	FX1471-1H	FX1531-Z	FX1531-1C	FX1551A-Z	FX2131A-Z	FX2131A-1C	FX2141-Z	FX2141-1D	FX2141-1J	FX2141R-Z	FX2141R-1J	FX2271-Z	FX2271-1C	FX2241-Z	FX2241-1A	FX4111-Z	FX4111-1A	FX2231-Z	FX2221-Z	
ACCESSORIES	FA201001																																				
	FA201002																																				
	FA201001-10B																																				
	FA201004-10B																																				
	FA201005-10B																																				
	FA201007-10B																																				
	FA201002-10B																																				
	FA201003-10B																																				
	FAM20201-12																																				
	FA202006																																				
	FAM20301-10																																				
	FAM40101-3																																				
	FAM40001-5																																				
	FAM40002-5																																				
	FAM40003-41																																				
	FA105001	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA105002	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10301-4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10101-29	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10102-41	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10001-31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101001-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101002-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101003-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101004-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101005-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101006-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101007-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101008-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FA101009-20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10103-45	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																					
	FAM10401-10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																		
FAM10601-10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●																
FAM10701-3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																						
FA101000-5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																						

FLEX

IT'S
WHAT'S
NEXT



FLEX

IT'S
WHAT'S
NEXT



SCAN TO SEE WHAT'S NEXT

