






Weight capacity : 75 kgs/ 165 Lbs











NOTE: 50% TIGHTEN BEFORE FIXING ALL BOLTS & SCREWS


COMPONENTS LIST

 <p>Q'TY 1</p>	 <p>2 pcs Q'TY 4</p>	 <p>Q'TY 2</p>	 <p>Q'TY 1</p>
--	---	--	---


HARDWARE LIST

A		2	Screw 7 x 60	D		8	Washer
B		8	Screw 7 x 40	E		1	Spanner
C		8	Nut M8	F		2	Allen Key


Step 1




Step 2




Step 3




Step 4





Maximum capacity : 110 kgs/242 Lbs







Right leg (R)

Left Leg (L)

TIGHTEN



LOOSEN



NOTE: 50% TIGHTEN BEFORE FIXING ALL BOLTS & SCREWS


COMPONENTS LIST

<p>I</p> <p>Right leg (R) Left Leg (L)</p> <p>Q'TY 2</p>	<p>II</p> <p>Q'TY 1</p>	<p>IV</p> <p>Q'TY 1</p>
<p>III</p> <p>Q'TY 1</p>		


HARDWARE LIST

A		6	Screw 7 x 70	C		2	Allen Key
B		2	Screw 7x40				


Step 1




Step 2




Step 3





Step 4






Maximum capacity : 220 kgs/485 Lbs





TIGHTEN



LOOSEN

NOTE: 50% TIGHTEN BEFORE FIXING ALL BOLTS & SCREWS


COMPONENTS LIST

<p>I</p> <p>R L</p> <p>QTY 2 (Right & Left)</p>	<p>II</p> <p>QTY 1</p>	<p>III</p> <p>QTY 1</p>	<p>IV</p> <p>QTY 1</p>
---	------------------------	-------------------------	------------------------


HARDWARE LIST

A		6	Screw 7 x 70	C		2	Allen Key
B		2	Screw 7x40				

Step 1



Step 2



Step 3

