

Live Video Surveillance.

VOSKER V300 security camera introduces live video streaming capabilities and motion activated video recordings to the Vosker app. This solar powered LTE-based camera is ideal for long-term outdoor surveillance and is 100% wireless and portable.



100% Wireless: Works Without Wi-Fi or Electricity



Automatic motion detection with custom alerts on the mobile app



128° Ultra-wide Angle View



IP65 Certified Weather-Resistant



Live Audio-Video Streaming



Long lasting battery pack



Built-in solar panel technology



FREE 7-day "ELITE" plan trial



Local photo-video backup on SD card



VOSKER two (2) year limited warranty.





VIDEO

Video Access	Live Streaming / Remotely / microSD Card
Video Resolution	FULL HD resolution (1920 × 1080 px) local on SD card
Video Length	10 second clips. The camera will instantly take another 10 sec recording, if there is still motion detected
Capture Mode	Color by day/infrared by night
Audio Recording	Yes
Angle View	128° ultra-wide angle
Video File Format	AVI (H.264)

PHOTO

Photo Resolution	FULL HD resolution (1920 \times 1080 px) local on SD card and 640 \times 360 px on mobile app
File Format	JPG
Capture Mode	Color photos by day, infrared by night
Information Stamped on Photos	Date, time and temperature (°C/°F)
Angle View	128° ultra-wide angle

MEMORY

Capacity External Memory MicroSD card for local backup storage up to 2 TB (16 GB card included)



BATTERY / POWER SOURCE

Solar Panel	Built-in solar panel on top of the camera
Battery	14 Ah Lithium battery pack (V-LIT-B3 included)
External	USB-C port

DETECTION SYSTEM

Detection Angle	100°
Motion Sensor	1 sensor for a total of 5 detection zones
Detection Range	100 ft
Motion Detection Sensitivity Levels	Low, normal and high

NIGHT VISION/FLASH

LED	4 high power LED
Туре	White LED super low glow
Night Vision Range	100 ft
Exposition	Automatic adjustment of infrared light level



CELLULAR

Multi-Carriers	LTE multi-carrier wireless modem
GPS Tracker	Yes

VOSKER APP

Remote Viewing and Configuration	Mobile App or Web App
Language	English, French, Spanish and German

GENERAL CONFIGURATION

Date Format	mm/dd/yyyy or dd/mm/yyyy
Video Stamp Information	Yes (date/time/outside temperature)
Temperate Units	°C or °F
Time format	12H or 24H

DIMENSIONS



OTHER

External Antenna	Included. External long range cellular antenna available (sold separately)
Mounting Bracket	Adjustable mounting arm included
Operating Temperature Range	+50°C to -30°C
Certifications	FCC, CE, IP65 weather-resistant
Warranty	www.vosker.com/warranty-and-repair/